




Pricelist 2023










METTLER TOLEDO OnLine Analytical Instruments

METTLER TOLEDO

Meters

	Benchtop Meters	5-11
	FiveEasy™ and FiveEasy Plus™	5
	SevenDirect™	7
	SevenExcellence™	9
	Portable Meters	12-22
	FiveGo™	12
	Seven2Go™ Routine	14
	SevenGo Duo™	16
	Seven2Go Pro™	18
	SevenGo Duo Pro™	20

Electrodes

	pH Electrodes	22-26
	General Applications	
	Electrodes for Fast Results	22
	Maintenance Free Electrodes	23
	Special Applications	
	Electrodes for Small Volumes	23
	Electrodes for Specific Applications	24
	Long Electrodes	24
	Special Technology	25
	pH Electrodes for Portable Meters	25
	pH Half-Cells and Reference Electrodes	25
	LE pH Electrodes	26
	ORP / Redox Electrodes	27
	InLab® ORP / Redox Electrodes	27
	LE ORP / Redox Electrodes	27
	Conductivity Probes	28
	Conductivity Probes for Bench Meters	28
	Conductivity Probes for Portable Meters	29
	LE Conductivity Probes	29
	Ion-Selective and Gas Sensitive Electrodes	30
	Ion-Selective and Gas Sensitive Electrodes (Half-Cells)	30
	Ion-Selective Electrodes (Combination)	31
	ISE Calibration Standards and ISA Solutions	32
	DO Sensors	33
	InLab® DO Sensors	33
	LE DO Sensors	33
	Temperature Probes	34
	Temperature Probes	34
	Sensor Accessories	35
	Sensor Accessories	35

Buffers and Solutions

Buffers and Solutions	36-38
Buffer Solutions	36
Electrolytes	37
Conductivity Standards	37
Ion Standards	38
Maintenance Solutions	38

Printers and Cables

Printers and Cables	39-40
Printers	39
Cables	40

Density and Refractometers

Density and Refractometers	41-43
Densito	41
MyBrix	42
Refracto	43

Literature

Literature	44-51
Product Brochures	44
Datasheets	45
Flyers	48
Posters	48
Application Notes and Guides	49
White Paper	51

Entry-level Benchtop Meters

FiveEasy™ and FiveEasy Plus™

Simplify your Lab

Measurement made easy

A large, well-structured display, intuitive button arrangement and simple menu ensure measurements can be performed in just a few clicks.

Compact design saves space

Through its compact design and the ability to remove the sensor holder and store it on the side of the meter, little bench space is needed.

Simple and secure data transfer

The FiveEasy Plus series meters allow data to be exported either directly to a printer or a PC for further processing using RS232 or USB ports.



FiveEasy™

Item No	Model	Description	Product Remarks	Price €
30266658	F20-Meter	pH Bench F20-Meter	pH meter with integrated electrode arm, incl. operating instructions, "Quick guide", power adapter, declaration of conformity and test certificate	545,00
30266626	F20-Standard	pH Bench F20-Standard	Same as F20 meter plus LE438 sensor, buffer sachets and guides	715,00
30266942	F30-Meter	Cond Bench F30-Meter	Conductivity instrument with integrated electrode arm, incl. operating instructions, "Quick guide", power adapter, declaration of conformity and test certificate	965,00
30266943	F30-Standard	Cond Bench F30-Standard	Instrument and accessories as with F30-Meter, also with LE703 conductivity sensor, electrode arm, 1x 1413 µS/cm and 1x 12.88 mS/cm standard sachets	1120,00

FiveEasy Plus™

Item No	Model	Description	Product Remarks	Price €
30266627	FP20-Meter	pH Bench FP20-Meter	pH meter with integrated electrode arm, incl. operating instructions, "Quick guide", power adapter, declaration of conformity and test certificate	775,00
30266628	FP20-Standard	pH Bench FP20-Standard	Same as FP20 meter plus LE438 sensor, buffer sachets and guides	965,00
30266629	FP20-Bio	pH Bench FP20-Bio	Same as FP20 meter plus LE410 sensor, buffer sachets and guides	990,00
30266940	FP20-Micro	pH Bench FP20-Micro	FiveEasy Plus instrument and accessories as with FP20-Meter, also with LE422 micro pH electrode, electrode arm, 1 x 4.01, 7.00 and 9.21 buffer sachets	990,00
30266941	FP20-TRIS	pH Bench FP20-TRIS	FiveEasy Plus instrument and accessories as with FP20-Meter, also with LE420 pH electrode, electrode arm, 1 x 4.01, 7.00 and 9.21 pH buffer sachets	965,00
30266944	FP30-Meter	Cond Bench FP30-Meter	Conductivity meter with integrated electrode arm, incl. operating instructions, "Quick guide", power adapter, declaration of conformity and test certificate	1135,00
30266945	FP30-Standard	Cond Bench FP30-Standard	Instrument and accessories as with FP30-Meter, also with LE703 conductivity sensor, electrode arm 1x 1413 µS/cm and 1x 12.88 mS/cm standard sachets	1250,00

Electrodes

Item No	Description	Price €
51340330	LE407 (plastic, gel electrolyte) pH electrode	101,00
51340331	LE409 (glass, liquid electrolyte) pH electrode	123,50
51340348	LE410 (glass, liquid electrolyte) pH electrode	212,00
51340332	LE420 (glass, sleeve diaphragm) pH electrode	184,00
30089747	LE422 (glass, gel electrolyte) pH electrode	210,00
51340333	LE427 (plastic, gel electrolyte) puncture pH electrode	223,00
51340242	LE438 (plastic, 3-in-1) pH electrode	196,50
51340338	LE501 (glass) Redox electrode	153,00
51340339	LE510 (plastic) Redox electrode	132,00
51340335	LE703 (4 pole, graphite) conductivity	183,50
51340336	LE740 (PVC/Stainless steel) conductivity	322,00

Accessories

Item No	Description	Price €
51343310	InLab® NTC30K Probe	322,00
51300164	ATC probe (NTC 30 kΩ)	109,50
30239146	FiveEasy Plus™ /FiveEasy™ cover for elec. arm	9,10
30239139	FiveEasy Plus™ /FiveEasy™ electrode arm (complete)	80,30
30239140	FiveEasy Plus™ /FiveEasy™ electrode arm extension bar	34,80
30323214	EasyDirect™ pH license key	230,00
51191926	USB cable, 1.8 m	26,00
30702967	Printer RS-P25, RS232C connection to instrument	785,00
11124303	Printer RS-P26 with RS232C connection to instrument (with date and time)	1010,00
11124304	Printer RS-P28 printer with RS232C connection to instrument (with date, time and applications)	1220,00
11120270	Adapter AC/DC JB	55,40
30403890	DIN Adapter LE	27,30
30499900	DIN Adapter T-Kit LE	40,10

Routine Benchtop Meters

SevenDirect™

Straight to the Point

Mastered in no time

Large colour touch screen provides direct measurement and easy data entry. Instructions guide users through the sensor calibration process.

Tracks your records

The instrument stores data, such as timestamp, sample and sensor ID with every measurement and prints or exports records automatically.

Tough enough

Closed connector compartment and replaceable cover keep the instrument safe from dust and spills, even with sensors attached (IP54 in-use).



Item No	Model	Description	Product Remarks	Price €
30671550	SD20-BASIC	pH bench meter SD20	Includes instrument, electrode holder EasyPlace™, protective cover, AC adapter, User Manual, Get-Started-Guide, EU Declaration of Conformity and Test Certificate	1040,00
30671554	SD20 Kit	pH bench meter SD20 Kit	As SD20-BASIC, but also with pH electrode InLab® Expert Pro-ISM and 3 x 3 calibration buffer sachets (pH 4.01, 7.00 and 9.21 or 10.01)	1375,00
30671555	SD20 Stirrer Kit	pH bench meter SD20 Stirrer Kit	As SD20 Kit, but also with EasyMix™ magnetic stirrer	1625,00
30671556	SD20 HA Kit	pH bench meter SD20 HA Kit	As SD20 Kit, but with InLab® Routine Pro-ISM instead of InLab® Expert Pro-ISM	1465,00
30671557	SD20 Organic Kit	pH bench meter SD20 Organic Kit	As SD20 Kit, but with InLab® Science Pro-ISM instead of InLab® Expert Pro-ISM	1590,00
30671558	SD20 Pure H ₂ O Kit	pH bench meter SD20 Pure H ₂ O Kit	As SD20 Kit, but with InLab® Pure Pro-ISM instead of InLab® Expert Pro-ISM	1600,00
30671559	SD20 Solids Kit	pH bench meter SD20 Solids Kit	As SD20 Kit, but with InLab® Solids Pro-ISM instead of InLab® Expert Pro-ISM	1545,00
30671560	SD20 Viscous Kit	pH bench meter SD20 Viscous Kit	As SD20 Kit, but with InLab® Viscous Pro-ISM instead of InLab® Expert Pro-ISM	1680,00
30671561	SD20 LowVol Kit	pH bench meter SD20 LowVol Kit	As SD20 Kit, but with InLab® Micro Pro-ISM instead of InLab® Expert Pro-ISM	1635,00
30671552	SD50-BASIC	pH/Ion bench meter SD50	Includes instrument, electrode holder EasyPlace™, protective cover, AC adapter, User Manual, Get-Started-Guide, EU Declaration of Conformity and Test Certificate	1260,00
30671544	SD50 Kit	pH/Ion bench meter SD50 Kit	As SD50, but with pH electrode InLab® Expert Pro-ISM and 3 x 3 calibration buffer sachets (pH 4.01, 7.00 and 9.21 or 10.01)	1605,00
30671545	SD50 F-Ion Kit	pH/Ion bench meter SD50 F- Ion Kit	As SD50, but with PerfectION™ F sensor. Solutions need to be purchased separately, we recommend buying 30718583 Fluoride solution kit.	2290,00
30671546	SD50 HA Kit	pH/Ion bench meter SD50 HA Kit	As SD50 Kit, but with InLab® Routine Pro-ISM instead of InLab® Expert Pro-ISM	1715,00
30671547	SD50 Organic Kit	pH/Ion bench meter SD50 Organic Kit	As SD50 Kit, but with InLab® Science Pro-ISM instead of InLab® Expert Pro-ISM	1860,00
30671548	SD50 Pure H ₂ O Kit	pH/Ion bench meter SD50 Pure H ₂ O Kit	As SD50 Kit, but with InLab® Pure Pro-ISM instead of InLab® Expert Pro-ISM	1870,00
30671549	SD50 LowVol Kit	pH/Ion bench meter SD50 LowVol Kit	As SD50 Kit, but with InLab® Micro Pro-ISM instead of InLab® Expert Pro-ISM	1895,00
30671551	SD30-BASIC	Cond bench meter SD30	Includes instrument, electrode holder EasyPlace™, protective cover, AC adapter, User Manual, Get-Started-Guide, EU Declaration of Conformity and Test Certificate	1465,00
30671562	SD30 Kit	Cond bench meter SD30 Kit	As SD30-BASIC, but also with conductivity sensor InLab® 731-ISM and 2 x 2 conductivity standard sachets (1413 µS/cm and 12.88 mS/cm)	1885,00
30671563	SD30 Pure H ₂ O Kit	Cond bench meter SD30 Pure H ₂ O Kit	As SD30 kit, but with InLab® 741-ISM instead of InLab® 731-ISM	2090,00

Item No	Model	Description	Product Remarks	Price €
30671553	SD23-BASIC	pH/Cond bench meter SD23	Includes instrument, electrode holder EasyPlace™ with holder for up to three sensors, protective cover, AC adapter, User Manual, Get-Started-Guide, EU Declaration of Conformity and Test Certificate	2195,00
30671567	SD23 Kit	pH/Cond bench meter SD23 Kit	As SD23-BASIC, but also with pH electrode InLab® Expert Pro-ISM, conductivity sensor InLab® 731-ISM, 3 × 3 pH buffer (pH 4.01, 7.00 and 9.21 or 10.01) sachets and 2 × 2 conductivity standards (1413 µS/cm and 12.88 mS/cm)	2760,00
30671568	SD23 Pure H ₂ O Kit	pH/Cond bench meter SD23 Pure H ₂ O Kit	As SD23-BASIC, but also with pH electrode InLab® Pure Pro-ISM, conductivity sensor InLab® 741-ISM, 3 × 3 pH buffer (pH 4.01, 7.00 and 9.21 or 10.01) sachets	3030,00

Electrodes

Item No	Description	Price €
30014096	InLab® Expert Pro-ISM	356,00
51344055	InLab® Routine Pro-ISM	380,00
51344072	InLab® Science Pro-ISM	530,00
51344172	InLab® Pure Pro-ISM	540,00
51344155	InLab® Solids Pro-ISM	470,00
51343151	InLab® Viscous Pro-ISM	640,00
51344163	InLab® Micro Pro-ISM	570,00
30014092	InLab® 731-ISM	540,00
30014094	InLab® 741-ISM	755,00

Accessories

Item No	Description	Price €
30671569	EasyPlace: Electrode arm (included in standard delivery)	248,00
30671571	Parking beaker for short term electrode storage	18,30
30671572	Parking beaker insert for use with storage solution	6,85
30671573	Holder to position buffer and standard sachets on the EasyPlace	35,50
30671574	Holder for a single sensor	18,30
30671575	Holder for up to three sensors	21,80
30671576	Longer holder for a single sensor, for use with large sample vessels	21,80
30671577	Standard vertical pole for the EasyPlace	176,50
30671578	Vertical pole with for the EasyPlace with extended range	212,00
30671529	Protective cover (included in standard delivery)	41,10
30671580	Power supply 18 W (included in standard delivery)	70,80
30417466	Corded USB barcode scanner	on req.
30323214	Licence for EasyDirect™ pH software	230,00
51191926	USB A-B cable 1.8 m for EasyDirect™	26,00
30671570	EasyMix™ magnetic stirrer	294,00
51191159	Magnetic Stirrer Bar	20,70
30281896	ISM® cable 1.2 m, BNC/RCA-MultiPin™	118,50
30718583	Fluoride solution kit	442,00
51300164	ATC probe (NTC 30 kΩ)	109,50
51302257	Glass flow-through cell for the InLab electrodes with 12 mm diameter	283,00
30702998	USB-P25 printer with USB connection to instrument	890,00
30094673	P-56RUE printer with USB connection to instrument	1175,00
30094674	P-58RUE printer with USB connection to instrument	1525,00
21901297	Barcode Reader Hand Scanner	750,00
21901309	USB Cable 412	66,90

Premium Benchtop Meters

SevenExcellence™

Unmatched lab performance

Professional and flexible

In addition to pH and ORP, ISFET is also supported. Further flexibility thanks to the method concept and numerous measurement and calibration options.

Professional pH calibration

Extra security with calibrations owing to methods with strict user guidance and monitoring of offset and slope.

Efficient workflow support

The complete cycle from data entry via sample analysis to data archiving is efficient and intuitive.



Item No	Model	Description	Product Remarks	Price €
30046240	S400-METER	pH bench meter SE S400-B	Includes instrument, pH/mV expansion unit, 2 blank expansion units, uPlace™ electrode holder, semi-transparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate	2525,00
30046241	S400-KIT	pH bench meter SE S400-K	As S400-METER, but also with InLab® Expert Pro-ISM, guide to pH measurements and 2 buffer sachets for pH 4.01, 7.00, 9.21 and 10.00	2830,00
30046242	S400-BIO	pH bench meter SE S400-Bio	As S400-KIT but with InLab® Routine Pro-ISM cable kit instead of InLab® Expert Pro-ISM	2950,00
30092982	S400-MICRO	pH bench meter SE S400-Micro	As S400-KIT but with InLab® Ultra-Micro-ISM instead of InLab® Expert Pro-ISM	2810,00
30092983	S400-uMIX	pH bench meter SE S400-uMix	As S400-KIT, also including magnetic stirrer uMix™	3000,00
30046248	S500-METER	pH/ion bench meter SE S500-B	Includes instrument, pH/ion expansion unit, 2 blank expansion units, uPlace™ electrode holder, semi-transparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate	2720,00
30046249	S500-KIT	pH/ion bench meter SE S500-K	As S500-METER, but also with InLab® Expert Pro-ISM, guide to pH measurements and 2 buffer sachets for pH 4.01, 7.00, 9.21 and 10.00	3020,00
30046250	S500-BIO	pH/ion bench meter SE S500-Bio	As S500-KIT but with InLab® Routine Pro-ISM cable kit instead of InLab® Expert Pro-ISM	3130,00
30046251	S500-F	pH/ion bench meter SE S500-F	As S500-KIT but with PerfectION™ Fluoride instead of InLab® Expert Pro-ISM	3795,00
30092985	S600-KIT	DO bench meter SE S600-Kit	As S900-KIT, but with InLab® 605-ISM instead of InLab® OptiOx	4000,00
30046244	S700-METER	Cond bench meter SE S700-B	Includes instrument, conductivity expansion unit, 2 blank expansion units, uPlace™ electrode holder, semi-transparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate	2790,00
30046245	S700-KIT	Cond bench meter SE S700-K	As S700-METER, but also with InLab® 731-ISM, guide to conductivity measurements and 2 calibration sachets for 1413 µS/cm and 12.88 mS/cm	3140,00
30046246	S700-TRACE	Cond bench meter SE S700-Trace	As S700-KIT but with InLab® Trace instead of InLab® 731-ISM, with Flow-Cell and without calibration sachets	5070,00

Item No	Model	Description	Product Remarks	Price €
30092984	S900-METER	DO bench meter SE S900-Basic	Includes instrument, DO/BOD expansion unit, 2 blank expansion units, uPlace™ electrode holder, semi-transparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate	3000,00
30092986	S900-KIT	DO bench meter SE S900-Kit	As S900-METER but with InLab® OptiOx, guide to do measurement and zero oxygen tablets	4365,00
30092987	S900-BOD	DO bench meter SE S900-BOD	As S900-KIT, also including BOD adapter	4550,00
30046252	S470-METER	pH/Cond bench meter SE S470-B	As S700-METER, but with a pH/mV expansion unit instead of a blank expansion unit	3180,00
30046253	S470-KIT	pH/Cond bench meter SE S470-K	As S700-KIT, but with but with a pH/mV expansion unit instead of a blank expansion unit. Additionally with InLab® Expert Pro-ISM, guide to pH measurements and 2 buffer sachets for pH 4.01, 7.00, 9.21 and 10.00	3745,00
30046254	S470-USP/EP	pH/Cond meter SE S470-USP/EP	Includes instrument, pH/mV expansion unit, conductivity expansion unit, 1 blank expansion unit, uPlace™ electrode holder, semi-transparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate, InLab® Pure Pro-ISM, InLab 741-ISM, InLab cable MultiPin BNC-RCA 1.2 m, 2 buffer sachets for pH 4.01, 7.00, 9.21 and 10.00	4275,00
30046255	S475-METER	pH/Ion/Cond bench meter SE S475-B	Includes instrument, pH/Ion expansion unit, pH/mV expansion unit, conductivity expansion unit, uPlace™ electrode holder, semi-transparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate	3780,00
30092988	S479-KIT	pH/Cond/DO meter SE S479-Kit	Includes instrument, pH/mV, conductivity and DO/BOD expansion units, uPlace™ electrode holder, semitransparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate, InLab® Expert Pro-ISM, InLab® 731-ISM, InLab® OptiOx, 2 buffer sachets for pH 4.01, 7.00, 9.21 and 10.01, 2 sachets of conductivity standard 1413 µS/cm and 2 sachets of conductivity standard 12,88 mS/cm, zero oxygen tablets, OptiOx adapter for uPlace	6610,00
30092989	S975-uMIX	pH/Ion/Cond/DO meter SE S975-uMix	Includes instrument, pH/Ion, conductivity and DO/BOD expansion units, uPlace™ electrode holder, semitransparent cover, user manual, installation and quick guide, EasyDirect™ pH, declaration of conformity and test certificate, InLab® Expert Pro-ISM, InLab® 731-ISM, InLab® OptiOx, 2 buffer sachets for pH 4.01, 7.00, 9.21 and 10.01, 2 sachets of conductivity standard 1413 µS/cm and 2 sachets of conductivity standard 12,88 mS/cm, zero oxygen tablets, Magnetic stirrer uMix, OptiOx adapter for uPlace	6880,00

Electrodes

Item No	Description	Price €
30014096	InLab® Expert Pro-ISM	356,00
51344055	InLab® Routine Pro-ISM	380,00
30244732	InLab® Ultra-Micro-ISM	417,00
51344172	InLab® Pure Pro-ISM	540,00
30014092	InLab® 731-ISM	540,00
30014094	InLab® 741-ISM	755,00
30014097	InLab® Trace	1470,00
51344715	perfect ION™ Fluoride	1260,00
51344611	InLab® 605-ISM	1015,00
51344621	InLab® OptiOx	1420,00

Accessories

Item No	Description	Price €
30034471	SevenExcellence™ pH/Ion expansion unit	1 170,00
30034472	SevenExcellence™ pH/mV expansion unit	925,00
30034473	SevenExcellence™ conductivity expansion unit	1 095,00
30034474	SevenExcellence™ DO/BOD expansion unit	1 405,00
30034475	SevenExcellence™ blank expansion unit	43,60
21901309	USB Cable 412	66,90
51191926	USB Cable (1.8 m A-B) for PC or printer	26,00
30027776	Cable InLab® Digital K8SD to Mini-LTW, 1.2 m	160,50
30014098	Flow-Cell for InLab® Trace	1 290,00
30323214	EasyDirect™ pH license key	230,00
30040000	uMix™ magnetic stirrer	301,00
30041154	Semi-transparent cover (included in standard delivery)	69,70
30041155	Protective film for display (2 pcs)	27,70
30019823	uPlace™: electrode holder (included in standard delivery)	233,00
30115728	Compact Stirrer Kit	1 130,00
30098212	Compact Stirrer adapter cable	77,00
21901297	Barcode Reader Hand Scanner	750,00
30094673	P-56RUE	1 175,00
30094674	P-58RUE	1 525,00
30702967	RS-P25, RS232C connection to instrument	785,00
30702998	USB-P25 printer with USB connection to instrument	890,00
11124303	RS-P26 with RS232C connection to instrument (with date and time)	1 010,00
11124304	RS-P28/11 printer with RS232C connection to instrument (with date, time and applications)	1 220,00
11120270	Adapter AC/DC JB	55,40
51192107	LogStraight fingerprint	353,00

Entry-level Portable Meters

FiveGo™

Simplify your Mobile Lab

Measurement made easy

A large, well-structured display, intuitive button arrangement and simple menu ensure measurements can be performed in just a few clicks.

Ergonomic design for one handed operation

Thanks to its ergonomic design, handling the FiveGo™ is a comfortable experience. The foldable stand provides optimal viewing on flat surfaces.

IP67 Water and dustproof

The IP67 waterproof protection makes the FiveGo™ portables able to withstand wet and demanding environments.



Item No	Model	Description	Product Remarks	Price €
30266946	F2-Meter	pH Portable F2-Meter	pH instrument incl. electrode clip, wrist strap, operating manual, Quick guide*, 4 x batteries, declaration of conformity and test certificate	437,00
30266889	F2-Standard Kit	pH Portable F2-Standard Kit	Same as F2 meter plus LE438 IP67 sensor, buffer sachets and guides	640,00
30266881	F2-Food Kit	pH Portable F2-Food Kit	Same as F2 meter plus LE427 IP67 sensor, buffer sachets and guides	675,00
30266882	F2-Field Kit	pH Portable F2-Field Kit	Same as F2 meter plus LE438 IP67 sensor, carry case, 4 sample bottles, buffer sachets and guides	730,00
30266883	F3-Meter	Cond Portable F3-Meter	Conductivity instrument incl. electrode clip, wrist strap, operating manual, "Quick guide", 4 x batteries, declaration of conformity and test certificate	515,00
30266888	F3-Standard Kit	Cond Portable F3-Standard Kit	Instrument and accessories as with F3-Meter, with LE703-IP67 conductivity sensor, IP67 connection caps, 1x 1413 µS/cm and 1x 12.88 mS/cm standard sachets	690,00
30266887	F3-Field Kit	Cond Portable F3-Field Kit	Instrument and accessories as for F3-Standard, with carry carrying case incl. 4 sample bottles	755,00
30266884	F4-Meter	DO Portable F4-Meter	Dissolved oxygen meter incl. electrode clip, wrist strap, operating manual, "Quick guide", 4 x batteries, declaration of conformity and test certificate	515,00
30266885	F4-Standard Kit	DO Portable F4-Standard Kit	Instrument and accessories as for F4-Meter, but with LE621 IP67 sensor	930,00
30266886	F4-Field Kit	DO Portable F4-Field Kit	Instrument and accessories as for F4-Standard, with carrying case incl. 4 sample bottles	1000,00

Electrodes

Item No	Description	Price €
51340330	LE407 (plastic, gel electrolyte) pH electrode	101,00
51340331	LE409 (glass, liquid electrolyte) pH electrode	123,50
51340332	LE420 (glass, sleeve diaphragm) pH electrode	184,00
51340333	LE427 (plastic, gel electrolyte) puncture pH electrode	223,00
51340242	LE438 (plastic, 3-in-1) pH electrode	196,50
51340338	LE501 (glass) Redox electrode	153,00
51340339	LE510 (plastic) Redox electrode	132,00
51340403	LE621 Galvanic DO sensor with 1.1 m cable and integrated temperature probe	407,00
30247153	LE438 pH Sensor IP67 2 m cable	222,00
30259840	LE427 pH Sensor IP67 2 m cable	223,00
30266974	LE703 Conductivity Sensor IP67 2.0 m cable, LTW	193,50
30266975	LE621 Dissolved Oxygen Sensor IP67 2 m cable	441,00

Accessories

Item No	Description	Price €
51300164	ATC probe (NTC 30 kΩ)	109,50
30122304	Wrist strap	13,90
30239142	FiveGo™ carrying case	116,50
30239143	FiveGo™ sample bottles (4 pcs)	21,40
30239144	FiveGo™ electrode clip & clip covers	21,40
51302329	LTW-MiniDin adapter (to connect InLab® 710/720/731/741/751/752)	104,50

Routine Portable Meters

Seven2Go™ Routine

Everywhere you Measure pH

Fast quality data on the go

Seven2Go's simplified menu, automatic sensor recognition, and calibration reminder ensure users obtain high quality data fast.

Comfortable One-Handed Operation

Seven2Go's easy-to-reach, hardkey buttons and sleek design ensure comfortable one-handed operation even under wet conditions and prolonged use.

Rugged investment that lasts

Seven2Go's IP67 design, reduced weight, and rugged uGo™ carrying case ensure a lasting instrument providing reliable data even under harsh conditions.



Item No	Model	Description	Product Remarks	Price €
30207949	S2-Meter	pH portable S2-Meter	Includes S2 pH/mV instrument, electrode clip, operating instructions, quick guide, test report, declaration of conformity and batteries, rubber holster	655,00
30207950	S2-Standard kit	pH portable S2-Standard Kit	Instruments and accessories as with S2-Meter, plus InLab® Expert Go-ISM and buffer sachets for pH 4.01, 7.00, 9.21 and 10.00, rubber holster	815,00
30207951	S2-Field kit	pH portable S2-Field Kit	Instruments and accessories as with S2-Meter, plus InLab® Expert Go-ISM and buffer sachets for pH 4.01, 7.00, 9.21, 10.00, plus bottles for calibration and the uGo™ carrying case, rubber holster	885,00
30207952	S2-Food kit	pH portable S2-Food Kit	Instruments and accessories as with S2-Meter, plus InLab® Solid Go-ISM, buffer sachets for pH 4.01, 7.00, 9.21, and 10.00, plus bottles for calibration and the uGo™ carrying case, rubber holster	945,00
30207953	S2-Light kit	pH portable S2-Light Kit	Instruments and accessories as with S2-Meter, plus InLab® Versatile Pro and v for pH 4.01, 7.00 and 9.21 pH buffer sachets, rubber holster	720,00
30207954	S3-Meter	Cond portable S3-Meter	Includes the S3 conductivity instrument, electrode clip, operating instructions, quick guide, test report, declaration of conformity and batteries, rubber holster	705,00
30207955	S3-Standard kit	Cond portable S3-Standard Kit	Instruments and accessories as with the S3-Meter, plus InLab® 738-ISM and sachets of conductivity standards 1413 µS/cm and 12.88 mS/cm, rubber holster	1035,00
30207956	S3-Field kit	Cond portable S3-Field Kit	Instrument and accessories as with the S3-Meter, plus InLab® 738-ISM, sachets of conductivity standards 1413 µS/cm and 12.88 mS/cm, plus bottles for calibration and uGo™ carrying case, rubber holster	1090,00
30207957	S3-Bioethanol kit	Cond portable S3-Bioethanol Kit	Instrument and accessories as with the S3-Meter, plus InLab® 725, bottles for calibration and uGo™ carrying case, rubber holster	1175,00
30207958	S4-Meter	DO portable S4-Meter	Includes the S4 DO instrument, electrode clip, operating instructions, quick guide, test report, declaration of conformity and batteries, rubber holster	745,00
30207959	S4-Standard kit	DO portable S4-Standard Kit	Instrument and accessories as with the S4-Meter, plus InLab® 605-ISM, and zero oxygen tablets for calibration, rubber holster	1255,00
30207960	S4-Field kit	DO portable S4-Field Kit	Instrument and accessories as with the S4-Meter, plus InLab® 605-ISM, zero oxygen tablets for calibration, and uGo™ carrying case, rubber holster	1335,00

Electrodes

Item No	Description	Price €
51344102	InLab® Expert Go-ISM	456,00
51344103	InLab® Expert Go-5m-ISM	493,00
51344104	InLab® Expert Go-10m-ISM	530,00
51343156	InLab® Solids Go-ISM	470,00
51343031	InLab® Versatile Pro	286,00
51344110	InLab® 738-ISM	610,00
51344112	InLab® 738-ISM-5m	655,00
51344114	InLab® 738-ISM-10m	685,00
30014160	InLab® 725	510,00
51344611	InLab® 605-ISM	1015,00
51344612	InLab® 605-ISM-5m	1050,00
51344613	InLab® 605-ISM-10m	1085,00

Accessories

Item No	Description	Price €
51343310	InLab® NTC30K Probe	322,00
51302329	LTW-MiniDin adapter (to connect InLab® 710/720/731/741/751/752)	104,50
30122291	Rubber holster to protect your Seven2Go™ instrument. Fits into the the carrying case uGo. Needs to be removed to exchange the batteries.	64,00
30122300	uGo™ carrying case	154,50
30122303	Seven2Go™ meter base accessory for extra stability on flat surfaces	16,80
30137805	Seven2Go™ electrode clip and electrode clip covers (4 pieces)	21,80
30122304	Seven2Go™ wrist strap	13,90
30137807	Seven2Go™ micro-USB to standard-A USB cable for optional power supply or PC connectivity (Pro meters only)	28,30
30137803	Seven2Go™ bottom cap (blue)	on req.
30137806	Seven2Go™ DC wallplug adapter for USB cable for optional DC power supply (Pro meters only)	45,00
30019823	Electrode holder uPlace	233,00

SevenGo Duo™ (Dual-Channel)

Dual Measurements Anywhere

Intuitive and Easy Operation

Designed in such a way that a single keystroke triggers a calibration run, measurement or review of stored data.

Intelligent Sensor Management (ISM®)

ISM® leaves nothing to chance! Calibration data and history are stored in the sensor and transferred automatically upon connection to the meter.

Ergonomic Masterpiece

Fits your hand perfectly, regardless of whether you are right- or left-handed. Your thumb can reach all buttons – easy to operate.



Item No	Model	Description	Product Remarks	Price €
51302600	SG23-METER	SevenGo Duo™ pH/conductivity meter only	Dual-channel pH/conductivity meter (no electrode) with BNC and LTW fittings, complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	1045,00
51302601	SG23-KIT	SevenGo Duo™ pH/conductivity kit	Dual-channel pH/conductivity meter with InLab® Expert-Go-ISM and InLab® 738-ISM (both IP67, 1.8 m fixed cable), complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	1655,00
51302602	SG23-FIELD-KIT2	SevenGo Duo™ pH/conductivity (1,8 m) field kit	Dual-channel pH/conductivity meter with InLab® Expert-Go-ISM and InLab® 738-ISM (both IP67, 1.8 m cable), with uGo™ carrying case, rubber holster, 2 SevenGo™ clips, buffer sachets pH (2 each: 4.00, 7.00, 9.21), conductivity standard sachets (2 each: 1413 µS/cm, 12.88 mS/cm), calibration bottles, and same accessories as SG23-KIT	1825,00
51302603	SG23-FIELD-KIT5	SevenGo Duo™ pH/conductivity (5 m) field kit	Dual-channel pH/conductivity meter with InLab® Expert-Go-ISM-5m and InLab® 738-ISM-5m (both IP67, 5 m cable), with uGo™ carrying case, rubber holster, 2 SevenGo™ clips, buffer sachets pH (2 each: 4.00, 7.00, 9.21), conductivity standard sachets (2 each: 1413 µS/cm, 12.88 mS/cm), calibration bottles, and same accessories as SG23-KIT	1895,00

Electrodes

Item No	Description	Price €
51344102	InLab® Expert Go-ISM	456,00
51344103	InLab® Expert Go-5m-ISM	493,00
51344104	InLab® Expert Go-10m-ISM	530,00
51344110	InLab® 738-ISM	610,00
51344112	InLab® 738-ISM-5m	655,00
51344114	InLab® 738-ISM-10m	685,00

Accessories

Item No	Description	Price €
51343310	InLab® NTC30K Probe	322,00
51302319	SevenGo™ two-electrode clip	32,40
51302322	SevenGo™ rubber holster	51,60
51302324	Bottom cap (blue)	31,50
51302325	SevenGo™ clip	43,80
51302328	Battery cover	69,70
51302329	LTW-MiniDin adapter (to connect InLab® 710/720/731/741/751/752)	104,50
51302335	Rubber feet (2 pieces)	28,60
51302336	SevenGo™ sealing kit (sealings for battery case, BNC plug, Cinch plug and screw holes)	42,80
30122300	uGo™ carrying case	154,50
51302331	SevenGo™ wrist strap	49,10

Premium Portable Meters

Seven2Go Pro™

Mobile Quality Measurement

Fast quality data on the go

Seven2Go Pro's simplified menus, LED Status Light and uFocus™ measurement screen provide mobile users with fast, high quality data.

Comfortable One-Handed Operation

Seven2Go's easy-to-reach, hardkey buttons and sleek design ensure comfortable one-handed operation even under wet conditions and prolonged use.

Rugged investment that lasts

Seven2Go Pro's IP67 design, sunlight-proof screen, and optimized battery consumption ensure reliable data even under harsh conditions.



Item No	Model	Description	Product Remarks	Price €
30207961	S7-Meter	Cond portable S7-Meter	Includes the S7 conductivity instrument, EasyDirect™ pH, instructions, quick guide, test report, declaration of conformity and batteries, rubber holster	1 120,00
30207962	S7-Standard kit	Cond portable S7-Standard Kit	Instruments and accessories as with the S7-Meter, plus InLab® 738-ISM, sachets of conductivity standard 1413 µS/cm and 12,88 mS/cm, rubber holster	1 485,00
30207963	S7-Field kit	Cond portable S7-Field Kit	Instruments and accessories as with the S7-Meter, plus InLab® 738-ISM, sachets of conductivity standard 1413 µS/cm and 12,88 mS/cm, plus bottles for calibration and uGo™ carrying case, rubber holster	1 550,00
30207873	S7-USP/EP kit	Cond portable S7-USP/EP Kit	Instrument and accessories as with the S7-Meter, plus InLab® 742-ISM, bottles for calibration and uGo™ carrying case, rubber holster	1 635,00
30207874	S8-Meter	pH/Ion portable S8-Meter	Includes S8 pH/Ion instrument, EasyDirect™ pH, USB cable, electrode clip, base accessory, operating instructions, quick guide, test report, declaration of conformity and batteries, rubber holster	1 050,00
30207875	S8-Standard kit	pH/Ion portable S8-Standard Kit	Instrument and accessories as with the S8-Meter, plus InLab® Expert Go-ISM and buffer sachets for pH 4.01, 7.00, 9.21 and 10.00, rubber holster	1 275,00
30207877	S8-Field kit	pH/Ion portable S8-Field Kit	Instruments and accessories as with the S8-Meter, plus InLab® Expert Go-ISM and buffer sachets for pH 4.01, 7.00, 9.21, 10.00 and bottles for calibration and uGo™ carrying case, rubber holster	1 325,00
30207878	S8-Biotech kit	pH/Ion portable S8-Biotech Kit	Instruments and accessories as with the S8-Meter, plus InLab® Routine Go-ISM (incl. cable) and buffer sachets for pH 4.01, 7.00, 9.21, 10.00 and bottles for calibration and uGo™ carrying case, rubber holster	1 435,00
30207879	S8-Fluoride kit	pH/Ion portable S8-Fluoride Kit	Instrument and accessories as with the S8-Meter, plus perfectION™ FI- sensor, bottles for calibration and uGo™ carrying case, rubber holster	1 795,00
30207970	S9-Meter	DO portable S9-Meter	Includes the S9 DO instrument, EasyDirect™ pH, USB cable, electrode clip, base accessory, operating instructions, quick guide, test report, declaration of conformity and batteries, rubber holster	1 175,00
30207971	S9-Standard kit	DO portable S9-Standard Kit	Instrument and accessories as with the S9-Meter, plus InLab® OptiOx sensor (IP67) and zero oxygen tablets for calibration, rubber holster	2 005,00
30207972	S9-Field kit	DO portable S9-Field Kit	Instrument and accessories as with the S9-Meter, plus InLab® OptiOx sensor (IP67), zero oxygen tablets and bottles for calibration, the uGo™ carrying case and InLab® OptiOx protective guard for added sensor-protection, rubber holster	2 070,00
30207939	S9-BOD kit	DO portable S9-BOD Kit	Instrument and accessories as with the S9-Meter, plus InLab® OptiOx sensor (IP67), zero oxygen tablets and bottles for calibration, the uGo™ carrying case and InLab® OptiOx BOD adapter, rubber holster	2 140,00

Electrodes

Item No	Description	Price €
51344102	InLab® Expert Go-ISM	456,00
51344103	InLab® Expert Go-5m-ISM	493,00
51344104	InLab® Expert Go-10m-ISM	530,00
30248832	InLab® Routine Go-ISM	453,00
51344110	InLab® 738-ISM	610,00
51344112	InLab® 738-ISM-5m	655,00
51344116	InLab® 742 ISM	760,00
51344118	InLab® 742 ISM-5m	795,00
51344114	InLab® 738-ISM-10m	685,00
51344715	perfectION™ Fluoride	1260,00
51344621	InLab® OptiOx	1420,00
51344622	InLab® OptiOx 5 m	1515,00
51344623	InLab® OptiOx 10 m	1565,00

Accessories

Item No	Description	Price €
51343310	InLab® NTC30K Probe	322,00
51302329	LTW-MiniDin adapter (to connect InLab® 710/720/731/741/751/752)	104,50
51344630	RDO replacement cap for InLab®OptiOx	231,00
51344631	Calibration tube for InLab®OptiOx	240,00
51344632	Stainless steel protection guard and sensor sinker for InLab®OptiOx	442,00
51344633	BOD adapter for InLab®OptiOx	128,50
30323214	EasyDirect™ pH software license key	230,00
30122291	Rubber holster to protect your Seven2Go™ instrument. Fits into the the carrying case uGo. Needs to be removed to exchange the batteries.	64,00
30122300	uGo™ carrying case	154,50
30122303	Seven2Go™ meter base accessory for extra stability on flat surfaces	16,80
30137805	Seven2Go™ electrode clip and electrode clip covers (4 pieces)	21,80
30122304	Seven2Go™ wrist strap	13,90
30137807	Seven2Go™ micro-USB to standard-A USB cable for optional power supply or PC connectivity (Pro meters only)	28,30
30137806	Seven2Go™ DC wallplug adapter for USB cable for optional DC power supply (Pro meters only)	45,00
30137803	Seven2Go™ bottom cap (blue)	on req.
30019823	Electrode holder uPlace	233,00

SevenGo Duo Pro™ (Dual-Channel)

Dual Measurements Anywhere

Intuitive Menu-Guidance in 10 Languages

Operation is extremely user-friendly thanks to flexible softkeys and large backlit display. In addition, the instruments relay full sentences in 10 languages.

Intelligent Sensor Management (ISM®)

ISM® leaves nothing to chance! Calibration data and history are stored in the sensor and transferred automatically upon connection to the meter.

Ergonomic Masterpiece

Fits your hand perfectly, regardless of whether you are right- or left-handed. Your thumb can reach all buttons – easy to operate.



Item No	Model	Description	Product Remarks	Price €
51302610	SG68-METER	SevenGo Duo Pro™ pH/Ion/DO meter only	Dual-channel pH/ion/dissolved oxygen meter (no electrode) with BNC fittings, complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	1930,00
51302611	SG68-KIT	SevenGo Duo Pro™ pH/Ion/DO kit	Dual-channel pH/ion/dissolved oxygen meter with InLab® Expert-Go-ISM and InLab® 605-ISM (both IP67 and 1,8 m fixed cable) complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	2775,00
51302612	SG68-FIELD-KIT2	SevenGo Duo Pro™ pH/Ion/DO (2m) field kit	Dual-channel pH/ion/dissolved oxygen meter with InLab® Expert-Go-ISM and InLab® 605-ISM (both IP67, 1,8 m cable), with uGo™ carrying case, rubber holster, 2 SevenGo™ clips, buffer sachets pH (2 each: 4.00, 7.00), calibration bottles, and same accessories as SG68-KIT	2950,00
51302613	SG68-FIELD-KIT5	SevenGo Duo Pro™ pH/Ion/DO (5m) field kit	Dual-channel pH/ion/dissolved oxygen meter with InLab® Expert-Go-ISM-5m and InLab® 605-ISM-5m (both IP67, 5 m cable), with uGo™ carrying case, rubber holster, 2 SevenGo™ clips, buffer sachets pH (2 each: 4.00, 7.00), calibration bottles, and same accessories as SG68-KIT	3000,00
51302620	SG78-METER	SevenGo Duo Pro™ pH/Ion/conductivity meter only	Dual-channel pH/ion/conductivity meter (no electrode) with BNC and LTW fittings, complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	1635,00
51302621	SG78-KIT	SevenGo Duo Pro™ pH/Ion/conductivity kit	Dual channel pH/ion/conductivity meter with InLab® Expert-Go-ISM and InLab® 738-ISM (both IP67 and 1,8 m fixed cable) complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	2255,00
51302622	SG78-FIELD-KIT2	SevenGo Duo Pro™ pH/Ion/conductivity (2m) field kit	Dual-channel pH/ion/conductivity meter with InLab® Expert-Go-ISM and InLab® 738-ISM (both IP67, 1,8 m cable), with uGo™ carrying case, rubber holster, 2 SevenGo™ clips, buffer sachets pH (2 each: 4.00, 7.00), conductivity standard sachets (2 each: 1413 µS/cm and 12,88 µS/cm)	2650,00
51302623	SG78-FIELD-KIT5	SevenGo Duo Pro™ pH/Ion/conductivity (5m) field kit	Dual-channel pH/ion/conductivity meter with InLab® Expert-Go-ISM-5m and InLab® 738-ISM-5m (both IP67, 5 m cable), with uGo™ carrying case, rubber holster, 2 SevenGo™ clips, buffer sachets pH (2 each: 4.00, 7.00), conductivity standard sachets (2 each: 1413 µS/cm, 12,88 µS/cm)	2685,00
51302625	SG78-USP/EP	SevenGo Duo Pro™ pH/Ion/conductivity USP/EP kit	Dual-channel pH/ion/conductivity meter with InLab® Pure Pro-ISM and InLab® 742-ISM (IP67 and 1,8 m cable), with ISM MultiPin™ cable and same accessories as SG78-KIT,	2385,00
51302661	SG98-METER	SevenGo Duo Pro™ pH/Ion/RDO meter only	Dual-channel pH/ion/RDO meter (no electrode) with BNC and small LTW fittings, complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	1955,00

Item No	Model	Description	Product Remarks	Price €
51302662	SG98-KIT	SevenGo Duo Pro™ pH/Ion/RDO kit	Dual-channel pH/ion/RDO meter with InLab® Expert-Go-ISM and InLab® OptiOx (both IP67 and 1,8 m fixed cable) complete with batteries, wrist strap, operating instructions, test certificate and declaration of conformity	2970,00
51302663	SG98-FIELD-KIT2	SevenGo Duo Pro™ pH/Ion/RDO (2m) field kit	Dual-channel pH/ion/RDO meter with InLab® Expert-Go-ISM and InLab® OptiOx (both IP67, 1,8 m cable), with uGo™ carrying case, rubber holster, buffer sachets pH (2 each: 4.00, 7.00), calibration bottles, and same accessories as SG98-KIT	3245,00
51302664	SG98-FIELD-KIT5	SevenGo Duo Pro™ pH/Ion/RDO (5m) field kit	Dual-channel pH/ion/RDO meter with InLab® Expert-Go-ISM and InLab® OptiOx (both IP67, 5 m cable), with uGo™ carrying case, rubber holster, buffer sachets pH (2 each: 4.00, 7.00), calibration bottles, and same accessories as SG98-KIT	3355,00

Electrodes

Item No	Description	Price €
51344102	InLab® Expert Go-ISM	456,00
51344103	InLab® Expert Go-5m-ISM	493,00
51344104	InLab® Expert Go-10m-ISM	530,00
51344172	InLab® Pure Pro-ISM	540,00
51344110	InLab® 738-ISM	610,00
51344112	InLab® 738-ISM-5m	655,00
51344114	InLab® 738-ISM-10m	685,00
51344116	InLab® 742 ISM	760,00
51344118	InLab® 742 ISM-5m	795,00
51344611	InLab® 605-ISM	1015,00
51344612	InLab® 605-ISM-5m	1050,00
51344613	InLab® 605-ISM-10m	1085,00
51344621	InLab® OptiOx	1420,00
51344622	InLab® OptiOx 5 m	1515,00
51344623	InLab® OptiOx 10 m	1565,00

Accessories

Item No	Description	Price €
51343310	InLab® NTC30K Probe	322,00
51302319	SevenGo™ two-electrode clip	32,40
51344630	RDO replacement cap for InLab® OptiOx	231,00
51302322	SevenGo™ rubber holster	51,60
51302324	Bottom cap (blue)	31,50
51302325	SevenGo™ clip	43,80
51344631	Calibration tube for InLab® OptiOx	240,00
51344632	Stainless steel protection guard and sensor sinker for InLab® OptiOx	442,00
51344633	BOD adapter for InLab® OptiOx	128,50
30122300	uGo™ carrying case	154,50
51302335	Rubber feet (2 pieces)	28,60
51302336	SevenGo sealing kit	42,80
11124303	RS-P26	1010,00
11124304	RS-P28/11	1220,00
51302333	IR-RS232 Adapter	423,00
51302329	LTW-MiniDin adapter (to connect InLab® 710/720/731/741/751/752)	104,50

pH Electrodes

Reliable solutions for the number 1 problem in pH measurements

The importance of measuring pH is reflected in the outstanding range of products available from METTLER TOLEDO. We offer you the full range of components necessary for a custom-made pH measuring system – everything from pH meters, the right sensors and cables to buffers and cleaning solutions.

www.electrodes.net/en/dealer



General Applications

Electrodes for Fast Results

Item No	Description	Product Remarks	Price €
51343050	InLab® Routine	For general application, pH 0...14, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	212,00
51343054	InLab® Routine Pro	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	309,00
51343056	InLab® Routine Pt1000	For general application, pH 0...14, temp. 0...100°C, integrated Pt1000 temperature probe, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	309,00
51344055	InLab® Routine Pro-ISM	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe and ISM, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	380,00
30248830	InLab® Max Pro-ISM	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe and ISM, glass shaft, KCl electrolyte, fixed sleeve junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	465,00
51343070	InLab® Science	For challenging samples, pH 0...12, temp. 0...100°C, glass shaft, KCl electrolyte, movable sleeve junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	305,00
51344072	InLab® Science Pro-ISM	For challenging samples, pH 0...12, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, KCl electrolyte, movable sleeve junction, ARGENTHAL™, dimensions: 12x170 mm, MultiPin™ connector	530,00
51343031	InLab® Versatile Pro	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, polysulfone shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, 1.2 m cable, BNC/RCA (Cinch)	286,00

Maintenance Free Electrodes

Item No	Description	Product Remarks	Price €
51343100	InLab® Expert	For general application, pH 0...14, temp. 0...100°C, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	195,50
51343104	InLab® Expert NTC30	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	274,00
51343105	InLab® Expert Pt1000	For general application, pH 0...14, temp. 0...100°C, integrated Pt1000 temperature probe, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	274,00
51343101	InLab® Expert Pro	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, 1,2 m cable, BNC/RCA (Cinch)	315,00
30014096	InLab® Expert Pro-ISM	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, ISM, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, 1,2 m cable, BNC/RCA (Cinch)	356,00
51343103	InLab® Expert DIN	For general application, pH 0...14, temp. 0...100°C, integrated NTC Pt1000 temperature probe, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, 1,2 m cable, DIN/4mm	284,00
51343102	InLab® Expert Pro-2m-ISM	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, ISM, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, 2 m cable, BNC/RCA (Cinch)	372,00
51343110	InLab® Power	For general application, pH 0...12, temp. 0...130°C, glass shaft, DPA-gel, ceramic junction, SteadyForce™, dimensions: 12x120 mm, S7 connector	458,00
51344211	InLab® Power Pro-ISM	For general application, pH 0...12, temp. 0...130°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, DPA-gel, ceramic junction, SteadyForce™, dimensions: 12x170 mm, MultiPin™ connector	630,00
51343010	InLab® Easy	For general application, pH 0...14, temp. 0...80°C, polysulfone shaft, gel electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	126,50
51343011	InLab® Easy BNC	For general application, pH 0...14, temp. 0...80°C, polysulfone shaft, gel electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, 1,2 m cable, BNC	162,50

Special Applications

Electrodes for Small Volumes

Item No	Description	Product Remarks	Price €
30244732	InLab® Ultra Micro-ISM	For small sample volumes, pH 1...11, temp. 0...80°C, ISM, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 3x40 mm, MultiPin™ connector	417,00
51343160	InLab® Micro	For small sample volumes, pH 0...14, temp. 0...80°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 3x60 mm, S7 connector	350,00
51344163	InLab® Micro Pro-ISM	For small sample volumes, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 5x130 mm, MultiPin™ connector	570,00
51343165	InLab® Semi-Micro	For small sample volumes, pH 0...12, temp. 0...100°C, glass shaft, XEROLYT® EXTRA polymer electrolyte with open junction, ARGENTHAL™, dimensions: 6x100 mm, S7 connector	315,00
59904572	InLab® NMR	For small sample volumes, pH 0...14, temp. 0...80°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 3x200 mm, S7 connector	570,00
51343164	InLab® Flex-Micro	For small sample volumes, pH 0...14, temp. 0...80°C, epoxy shaft, gel electrolyte, porous PTFE junction, ARGENTHAL™, dimensions: 6x180 mm, 1 m cable, BNC	465,00

Electrodes for Specific Applications

Item No	Description	Product Remarks	Price €
51343153	InLab® Solids	For solid and semisolid samples, pH 1...11, temp. 0...80°C, glass shaft, XERO-LYT® EXTRA polymer electrolyte with open junction, ARGENTHAL™, dimensions: 6x25 mm, S7 connector	351,00
51344155	InLab® Solids Pro-ISM	For solid and semisolid samples, pH 1...11, temp. 0...80°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, XERO-LYT® EXTRA polymer electrolyte with open junction, ARGENTHAL™, dimensions: 6x25 mm, MultiPin™ connector	470,00
51343150	InLab® Viscous	For viscous and sticky samples, pH 0...14, temp. 0...130°C, glass shaft, FRISCOLYT-C®, ceramic junction, SteadyForce™, dimensions: 6x40 mm, S7 connector	479,00
51343151	InLab® Viscous Pro-ISM	For viscous and sticky samples, pH 0...14, temp. 0...130°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, FRISCOLYT-C®, ceramic junction, Steady-Force™, dimensions: 6x40 mm, MultiPin™ connector	640,00
59904591	InLab® Dairy	For protein containing samples like dairy products, pH 0...12, temp. 0...100°C, glass shaft, FRISCOLYT-B®, triple ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	376,00
51343157	InLab® Surface	For measurements of surfaces, pH 1...11, temp. 0...50°C, glass shaft, KCl electrolyte, ceramic ring junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	297,00
30249570	InLab® Surface Pro-ISM	For measurements of surfaces, pH 1...11, temp. 0...50°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, KCl electrolyte, ceramic ring junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	439,00
30248112	InLab® Pure	For ion-weak samples, pH 1...11, temp. 0...80°C, glass shaft, KCl electrolyte, fixed sleeve junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	348,00
51344172	InLab® Pure Pro-ISM	For ion-weak samples, pH 1...11, temp. 0...80°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, 1 mol/L KCl electrolyte, fixed sleeve junction, ARGENTHAL™, dimensions: 12x170 mm, MultiPin™ connector	540,00
51343174	InLab® Cool	For low temperature samples, pH 1...11, temp. -30...80°C, glass shaft, FRISCOLYTE-B®, fixed sleeve junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	334,00
30247850	InLab® Cool Pro-ISM	For low temperature samples, pH 1...11, temp. -30...80°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, FRISCOLYTE-B®, fixed sleeve junction, ARGENTHAL™, dimensions: 12x120 mm, MultiPin™ connector	452,00
30253098	InLab® Water Go	For soft surface water, pH 1...11, temp. 0...80°C, polysulfone shaft, KCl electrolyte, porous PTFE ring junction, ARGENTHAL™, dimensions: 12x120 mm, 1.8 m cable, BNC	427,00
51343176	InLab® Hydrofluoric	For hydrofluoric acid containing samples, pH 1...11, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	365,00

Long Electrodes

Item No	Description	Product Remarks	Price €
30244733	InLab® Reach 225	Long sensor, pH 0...14, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x225 mm, S7 connector	266,00
30248120	InLab® Reach 425	Long sensor, pH 0...14, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x425 mm, S7 connector	298,00
30248826	InLab® Reach Pro-225	Long sensor, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x225 mm, MultiPin™ connector	362,00
51343061	InLab® Reach Pro-425	Long sensor, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x425 mm, MultiPin™ connector	395,00
30248828	InLab® Reach Pt1000-225	Long sensor, pH 0...14, temp. 0...100°C, integrated Pt1000 temperature probe, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x225 mm, MultiPin™ connector	362,00
51343062	InLab® Reach Pt1000-425	Long sensor, pH 0...14, temp. 0...100°C, integrated Pt1000 temperature probe, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x425 mm, MultiPin™ connector	395,00
51343161	InLab® Semi-Micro-L	For small sample volumes, pH 0...14, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 6x230 mm, S7 connector	349,00

Special Technology

Item No	Description	Product Remarks	Price €
30027775	InLab® Smart Pro-ISM	Digital electrode for general application, pH 0...14, temp. 0...130°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, DPA-gel, ceramic junction, SteadyForce™, dimensions: 12x120 mm, K8SD connector	960,00
59902917	InLab® Flow	For measurement in Flow-through cell 611, pH 1...11, temp. 0...80°C, glass shaft, DPA-gel, double ceramic junction, SteadyForce™, dimensions: 7x40 mm, S7 connector	387,00
59904354	Flow through cell thermostatable	Thermostatable flow through cell 611	580,00
59902854	pH electrode RedCap U-402-S7/120	For general application, pH 0...14, temp. 0...80°C, glass shaft, KCl electrolyte, ceramic junction, Ag/AgCl, dimensions: 12x120 mm, S7 connector	291,00

pH Electrodes for Portable Meters

Item No	Description	Product Remarks	Price €
51340288	InLab® Expert Go	pH electrode with NTC 30K temperature probe, pH 0...14, temp. 0...80°C, PEEK shaft, ARGENTHAL™, open junction, XEROLYT® polymer electrolyte, 2 m cable BNC/RCA (Cinch), IP67 for SevenGo™	356,00
51344102	InLab® Expert Go-ISM	For general application (IP67, Seven portable meters), pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, ISM, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, 1.8 m cable, BNC/RCA (Cinch)	456,00
51344103	InLab® Expert Go-5m-ISM	For general application (IP67, Seven portable meters), pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, ISM, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, 5 m cable, BNC/RCA (Cinch)	493,00
51344104	InLab® Expert Go-10m-ISM	For general application (IP67, Seven portable meters), pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe, ISM, PEEK shaft, XEROLYT® polymer electrolyte with open junction, ARGENTHAL™, dimensions: 12x120 mm, 5 m cable, BNC/RCA (Cinch)	530,00
30248832	InLab® Routine Go-ISM	For general application, pH 0...14, temp. 0...100°C, integrated NTC 30 kΩ temperature probe and ISM, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, 1.8 m cable, BNC/RCA (Cinch)	453,00
51343156	InLab® Solids Go-ISM	For solid and semisolid samples (IP67, Seven portable meters), pH 1...11, temp. 0...80°C, integrated NTC 30 kΩ temperature probe, ISM, glass shaft, XEROLYT® EXTRA polymer electrolyte with open junction, ARGENTHAL™, dimensions: 6x25 mm, 1.8 m cable, BNC/RCA	470,00

pH Half-Cells and Reference Electrodes

Item No	Description	Product Remarks	Price €
51343195	InLab® Mono	pH half-cell, pH 0...14, temp. 0...100°C, glass shaft, dimensions: 12x120 mm, S7 connector	154,50
51343196	InLab® Mono Plus	pH half-cell, pH 0...12, temp. 0...130°C, glass shaft, dimensions: 12x120 mm, S7 connector	292,00
51343190	InLab® Reference	Reference electrode, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	153,50
51343191	InLab® Reference-Plus	Reference electrode, temp. 0...60°C, glass shaft, gel electrolyte, movable PTFE-sleeve junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	286,00
51343192	InLab® Reference-Flow	Reference electrode, temp. 0...130°C, glass shaft, KCl electrolyte, triple ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	314,00

LE pH Electrodes

Item No	Description	Product Remarks	Price €
51340330	LE407	Robust plastic pH electrode with gel electrolyte, suitable for simple applications and easy samples such as water; low-maintenance	101,00
51340331	LE409	Glass pH electrode with liquid electrolyte for simple and rapid measurements in the laboratory, aqueous samples such as acids, bases etc.; refillable electrolyte	123,50
51340332	LE420	Glass electrode with ground-joint diaphragm for demanding, "dirty" samples such as waste water, emulsions (e.g. milk), oily samples; refillable electrolyte	184,00
51340333	LE427	Robust plastic pH electrode with gel electrolyte and spear tip, suitable for solid samples or semisolids, 1 m fixed cable BNC; low-maintenance	223,00
51340242	LE438 (plastic, 3-in-1)	3-in-1 plastic electrode with integrated temperature sensor for field use, samples with fluctuating temperatures; low-maintenance	196,50
30089747	LE422	Micro pH electrode suitable for small samples in vials and test tubes (4.3 mm diameter). Low-maintenance thanks to gel electrolyte	210,00
51340348	LE410	3-in-1 glass pH electrode with integrated temperature sensor and refillable liquid electrolyte for rapid measurements in aqueous samples such as acids or bases with BNC/Cinch connector	212,00
30247153	LE438 IP67	3-in-1 plastic pH electrode for field use, samples with fluctuating temperatures; low-maintenance and all in IP67 with NTC30 temp. probe, nylon junction, Ag/AgCl reference system, gel electrolyte, 120 mm plastic shaft, diameter 12 mm, 1.0 m cable, BNC/RCA (Cinch)	222,00
30259840	LE427 IP67	Robust puncture pH electrode suitable for penetration measurements of food, soil and other solids or semi-solids with ceramic junction, Ag/AgCl reference system, DPA gel electrolyte, 17 mm plastic shaft, diameter 6 mm, 1.2 m cable, BNC and all in IP67	223,00

ORP / Redox Electrodes

Platinum, Gold and Silver Electrodes

Redox is an ideal solution for testing the oxidation/reduction in factory and industrial waste (chromium and cyanide concentration), fish farming and aquariums (water quality), and swimming pools (sanitation levels).

www.electrodes.net/en/dealer



InLab® ORP / Redox Electrodes

Item No	Description	Product Remarks	Price €
51343200	InLab® Redox	Combined redox electrode, platinum ring, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	269,00
51343202	InLab® Redox-L	Combined redox electrode, platinum ring, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x170 mm, S7 connector	313,00
51343201	InLab® Redox Flow	Combined redox electrode, platinum ring, temp. 0...100°C, glass shaft, KCl electrolyte, movable glass sleeve junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	435,00
51343203	InLab® Redox Micro	Combined redox electrode, platinum ring, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 6x100 mm, S7 connector	335,00
51343204	InLab® Redox Au	Combined redox electrode, gold ring, temp. 0...100°C, glass shaft, KCl electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	422,00
51343205	InLab® Redox Ag	Combined redox electrode, silver ring, temp. 0...100°C, glass shaft, KNO ₃ electrolyte, ceramic junction, ARGENTHAL™, dimensions: 12x120 mm, S7 connector	337,00
59904377	InLab® Redox Pt805	Metal half-cells, platinum ring, temp. -30...130°C, glass shaft, dimensions: 12x120 mm, S7 connector	254,00
59904391	InLab® Redox Ag805	Metal half-cells, silver tip, temp. -30...130°C, glass shaft, dimensions: 12x120 mm, S7 connector	291,00
59904408	InLab® Redox Ag850	Metal half-cells, silver ring, temp. -30...130°C, glass shaft, dimensions: 12x120 mm, S7 connector	279,00

LE ORP / Redox Electrodes

Item No	Description	Product Remarks	Price €
51340338	LE501	Glass ORP electrode for lab use	153,00
51340339	LE510	Robust plastic ORP electrodes for field use, e.g. swimming pools	132,00

Conductivity Probes

Ions in motion

METTLER TOLEDO offers the full range of conductivity cells.

www.electrodes.net/en/dealer



Conductivity Probes for Bench Meters

Item No	Description	Product Remarks	Price €
51344020	InLab® 731	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, epoxy shaft, dimensions: 12x120 mm, 1.2 m cable, Mini-DIN	496,00
51344022	InLab® 731-2m	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, epoxy shaft, dimensions: 12x120 mm, 2 m cable, Mini-DIN	530,00
30014092	InLab® 731-ISM	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, epoxy shaft, dimensions: 12x120 mm, 1.2 m cable, Mini-DIN	540,00
30014093	InLab® 731-ISM-2m	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, epoxy shaft, dimensions: 12x120 mm, 2 m cable, Mini-DIN	570,00
51344024	InLab® 741	For low conductivity range like pure water, 0.001 ... 500 μS/cm, 0...100°C, 2 steel poles, cell constant: 0.105 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, stainless steel shaft, dimensions: 12x120 mm, 1.2 m cable, Mini-DIN	700,00
51344026	InLab® 741-5m	For low conductivity range like pure water, 0.001 ... 500 μS/cm, 0...100°C, 2 steel poles, cell constant: 0.105 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, stainless steel shaft, dimensions: 12x120 mm, 5 m cable, Mini-DIN	740,00
30014094	InLab® 741-ISM	For low conductivity range like pure water, 0.001 ... 500 μS/cm, 0...100°C, 2 steel poles, cell constant: 0.105 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, stainless steel shaft, dimensions: 12x120 mm, 1.2 m cable, Mini-DIN	755,00
30014097	InLab® Trace	Digital conductivity sensor for low conductivity range like ultra pure water, 0.0001 ... 1000 μS/cm, 0...100°C, 2 titanium poles, cell constant: 0.01 cm ⁻¹ , integrated Pt1000 temperature probe, ISM, IP67, titanium shaft, dimensions: 12x67 mm, 1.8 m cable	1470,00
51302256	InLab® 710	For aggressive and organic samples, 0.01 ... 500 mS/cm, 0...100°C, 4 platinum poles, cell constant: 0.80 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, glass shaft, dimensions: 12x120 mm, cable 1 m, Mini-DIN	423,00
51302255	InLab® 720	For aggressive and organic samples, 0.1 ... 500 μS/cm, 0...100°C, 2 platinum poles, cell constant: 0.06 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, glass shaft, dimensions: 12x120 mm, 1 m cable, Mini-DIN	430,00
30014160	InLab® 725	For Bioethanol according ABTN NBR 10547, 0.1 ... 500 μS/cm, 0...100°C, 2 platinum poles, cell constant: 0.1 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, glass shaft, dimensions: 12x120 mm, 1 m cable, Mini-DIN	510,00
51344030	InLab® 751-4mm	For small sample volumes, 0.01 ... 100 mS/cm, 0...100°C, 2 platinum poles, cell constant: 1.0 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, glass shaft, dimensions: 4x120 mm, 1 m cable, Mini-DIN	655,00
51344031	InLab® 752-6mm	For small sample volumes, 0.01 ... 112 mS/cm, 0...100°C, 2 platinum poles, cell constant: 1.0 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, glass shaft, dimensions: 6x120 mm, 1 m cable, Mini-DIN	615,00

Conductivity Probes for Portable Meters

Item No	Description	Product Remarks	Price €
51344120	InLab® 738	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, IP67, epoxy shaft, dimensions: 12x120 mm, 1.8 m cable, LTW	545,00
51344122	InLab® 738-5m	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, IP67, epoxy shaft, dimensions: 12x120 mm, 5 m cable, LTW	580,00
51344124	InLab® 738-10m	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, IP67, epoxy shaft, dimensions: 12x120 mm, 10 m cable, LTW	615,00
51344110	InLab® 738-ISM	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, IP67, epoxy shaft, dimensions: 12x120 mm, 1.8 m cable, LTW	610,00
51344112	InLab® 738-ISM-5m	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, IP67, epoxy shaft, dimensions: 12x120 mm, 5 m cable, LTW	655,00
51344114	InLab® 738-ISM-10m	For general application, 0.01 ... 1000 mS/cm, 0...100°C, 4 graphite poles, cell constant: 0.57 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, IP67, epoxy shaft, dimensions: 12x120 mm, 10 m cable, LTW	685,00
51344126	InLab® 742	For low conductivity range like pure water, 0.001 ... 500 µS/cm, 0...100°C, 2 steel poles, cell constant: 0.105 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, IP67, stainless steel shaft, dimensions: 12x120 mm, 1.8 m cable, LTW	705,00
51344128	InLab® 742 5m	For low conductivity range like pure water, 0.001 ... 500 µS/cm, 0...100°C, 2 steel poles, cell constant: 0.105 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, IP67, stainless steel shaft, dimensions: 12x120 mm, 5 m cable, LTW	755,00
51344116	InLab® 742 ISM	For low conductivity range like pure water, 0.001 ... 500 µS/cm, 0...100°C, 2 steel poles, cell constant: 0.105 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, IP67, stainless steel shaft, dimensions: 12x120 mm, 1.8 m cable, LTW	760,00
51344118	InLab® 742 ISM-5m	For low conductivity range like pure water, 0.001 ... 500 µS/cm, 0...100°C, 2 steel poles, cell constant: 0.105 cm ⁻¹ , integrated NTC 30 kΩ temperature probe, ISM, IP67, stainless steel shaft, dimensions: 12x120 mm, 5 m cable, LTW	795,00
59904438	RedCap 950-K19/120/1M/2x-27.4	2 pole conductivity probe, plastic shaft 120 mm, cell constant 1, 1 m cable, 4 mm banana plugs	382,00

LE Conductivity Probes

Item No	Description	Product Remarks	Price €
51340335	LE703	Cond. sensor with NTC30 temp. probe, 4 graphite poles, 120 mm PC (+ABS) shaft, diameter 12 mm, 1.0 m cable, Mini-DIN	183,50
51340336	LE740	Entry-level conductivity sensor for pure water with NTC30kOhm temp. probe, 2 stainless steel poles, 120 mm PVC, stainless steel shaft, diameter 12 mm, 1.0 m cable, Mini-DIN	322,00
30266974	LE703 IP67	Robust conductivity sensor for medium to high conductivities (70 µS/cm...200 mS/cm) with NTC30 temp. probe, 120 mm PC (+ABS) shaft, diameter 12 mm, 2.0 m cable, LTW and all in IP67	193,50

Ion-Selective and Gas Sensitive Electrodes

Concentration and activity determination

METTLER TOLEDO offers one of the most comprehensive ISE portfolios in the market, covering 19 ion species and 3 gases. Their robust design, easy maintenance and long lifetime make them ideal for any user and almost any application.

www.electrodes.net/en/dealer



Ion-Selective and Gas Sensitive Electrodes (Half-Cells)

Item No	Product Remarks	Price €
51107673	DX207-Li ISE half-cell electrode	1230,00
51107687	Membrane kit for Lithium ISE (1 membrane + electrolyte)	570,00
51107881	Electrolyte for Lithium ISE, 20 mL	45,20
51340900	DX218-NH4 ISE half-cell electrode	1045,00
51340012	Membrane Kit for Ammonium ISE (1 membrane + electrolyte)	585,00
51340035	Electrolyte for Ammonium ISE, 20 mL	30,30
51340500	DX219-F ISE half-cell electrode	1040,00
51340008	Membrane Kit for Fluoride ISE (1 membrane + electrolyte)	590,00
51340031	Electrolyte for Fluoride ISE, 20 mL	30,30
51340263	DX223-Na ISE half-cell electrode	453,00
51107681	DX226-CN ISE half-cell electrode	1145,00
51107695	Membrane kit for Cyanide ISE (1 membrane + electrolyte)	570,00
51107893	Electrolyte for Cyanide ISE, 20 mL	45,20
51107675	DX232-S ISE half-cell electrode	1165,00
51107689	Membrane kit for Sulfide ISE (1 membrane + electrolyte)	570,00
51107894	Electrolyte for Sulfide ISE, 20 mL	45,20
51340400	DX235-Cl ISE half-cell electrode	1040,00
51340007	Membrane Kit for Chloride ISE (1 membrane + electrolyte)	585,00
51340030	Electrolyte for Chloride ISE, 20 mL	30,30
51340700	DX239-K ISE half-cell electrode	1040,00
51340010	Membrane Kit for Potassium ISE (1 membrane + electrolyte)	570,00
51340033	Electrolyte for Potassium ISE, 20 mL	30,30
51340600	DX240-Ca ISE half-cell electrode	1040,00
51340009	Membrane Kit for Calcium ISE (1 membrane + electrolyte)	585,00
51340032	Electrolyte for Calcium ISE, 20 mL	30,30
51107870	DX258-SCN ISE half-cell electrode	1140,00
51107871	Membrane kit for Thiocyanate ISE (1 membrane + electrolyte)	570,00
51107872	Electrolyte for Thiocyanate ISE, 20 mL	45,20
51340800	DX262-NO3 ISE half-cell electrode	1045,00
51340011	Membrane Kit for Nitrate ISE (1 membrane + electrolyte)	600,00
51340034	Electrolyte for Nitrate ISE, 20 mL	30,30
51107678	DX264-Cu ISE half-cell electrode	1215,00
51107692	Membrane kit for Copper ISE (1 membrane + electrolyte)	580,00
51107889	Electrolyte for Copper ISE, 20 mL	45,20
51340300	DX280-Br ISE half-cell electrode	1040,00

Item No	Product Remarks	Price €
51340006	Membrane Kit for Bromide ISE (1 membrane + electrolyte)	585,00
51340029	Electrolyte for Bromide ISE, 20 mL	30,30
51107676	DX287-BF4 ISE half-cell electrode	1245,00
51107690	Membrane kit for Fluoroborate ISE (1 membrane + electrolyte)	570,00
51107890	Electrolyte for Fluoroborate ISE, 20 mL	45,20
51107672	DX312-Cd ISE half-cell electrode	1250,00
51107686	Membrane kit for Cadmium ISE (1 membrane + electrolyte)	570,00
51107891	Electrolyte for Cadmium ISE, 20 mL	45,20
51107680	DX327-I ISE half-cell electrode	1140,00
51107694	Membrane kit for Iodide ISE (1 membrane + electrolyte)	570,00
51107898	Electrolyte for Iodide ISE, 20 mL	45,20
51107674	DX337-Ba ISE half-cell electrode	1230,00
51107688	Membrane kit for Barium ISE (1 membrane + electrolyte)	570,00
51107892	Electrolyte for Barium ISE, 20 mL	45,20
51107873	DX407-Pb ISE half-cell electrode	1160,00
51107874	Membrane Kit for Lead ISE (1 membrane + electrolyte)	570,00
51107875	Electrolyte for Lead ISE, 20 mL	45,20
51341000	GSE Ammonia Electrode	1045,00
51340013	Membrane Kit for GSE Ammonia (3 membranes + electrolyte)	470,00
51340036	Electrolyte for Ammonia GSE, 25 mL	30,30
51340037	Electrolyte f. nitrogen oxides NOx, 25mL	30,30
51340038	Electrolyte for CO2 GSE, 25 mL	30,30

Ion-Selective Electrodes (Combination)

Item No	Product Remarks	Price €
51344703	perfectION™ combined Calcium electrode with 1.2 m cable and BNC connector	1385,00
51344700	perfectION™ combined Silver/Sulfide electrode with 1.2 m cable and BNC connector	1385,00
51344706	perfectION™ combined Chloride electrode with 1.2 m cable and BNC connector	1260,00
51344709	perfectION™ combined Cyanide electrode with 1.2 m cable and BNC connector	1260,00
51344712	perfectION™ combined Cupric electrode with 1.2 m cable and BNC connector	1385,00
51344715	perfectION™ combined Fluoride electrode with 1.2 m cable and BNC connector	1260,00
51344718	perfectION™ combined Iodide electrode with 1.2 m cable and BNC connector	1260,00
51344721	perfectION™ combined Potassium electrode with 1.2 m cable and BNC connector	1385,00
51344724	perfectION™ combined Sodium electrode with S7 head	635,00
51344727	perfectION™ combined Nitrate electrode with 1.2 m cable and BNC connector	1385,00
51344730	perfectION™ combined Lead electrode with 1.2 m cable and BNC connector	1385,00
51344850	perfectION™ membrane module for combined Calcium electrode	372,00
51344851	perfectION™ membrane module for combined Potassium electrode	363,00
51344852	perfectION™ membrane module for combined Nitrate electrode	372,00
51344800	perfectION™ combined Silver/Sulfide electrode with 1.2 m cable and Lemo connector	1445,00
51344803	perfectION™ combined Calcium electrode with 1.2 m cable and Lemo connector	1445,00
51344806	perfectION™ combined Chloride electrode with 1.2 m cable and Lemo connector	1320,00
51344809	perfectION™ combined Cyanide electrode with 1.2 m cable and Lemo connector	1320,00
51344812	perfectION™ combined Cupric electrode with 1.2 m cable and Lemo connector	1445,00
51344815	perfectION™ combined Fluoride electrode with 1.2 m cable and Lemo connector	1320,00
51344818	perfectION™ combined Iodide electrode with 1.2 m cable and Lemo connector	1320,00

Item No	Product Remarks	Price €
51344821	perfectION™ combined Potassium electrode with 1.2 m cable and Lemo connector	1445,00
51344827	perfectION™ combined Nitrate electrode with 1.2 m cable and Lemo connector	1445,00
51344830	perfectION™ combined Lead electrode with 1.2 m cable and Lemo connector	1445,00
51344750	perfectION™ ion electrolyte A reference filling solution 5x60 mL	141,00
51344751	perfectION™ ion electrolyte B reference filling solution B 5x60 mL	142,00
51344752	perfectION™ ion electrolyte C reference filling solution C 5x60 mL	177,00
51344753	perfectION™ ion electrolyte D reference filling solution D 5x60 mL	130,50
51344754	perfectION™ ion electrolyte E reference filling solution E 5x60 mL	130,50
51344755	perfectION™ ion electrolyte F reference filling solution F 5x60 mL	130,50

ISE Calibration Standards and ISA Solutions

Item No	Product Remarks	Price €
51344760	perfectION™ Ionic Strength Adjuster for Solid State Ion Selective Electrodes 475 mL	117,00
51344761	perfectION™ Calcium Ionic Strength Adjuster 475 mL	149,00
51344762	perfectION™ Potassium Ionic Strength Adjuster 475 mL	152,00
51344763	perfectION™ Nitrate Ionic Strength Adjuster 475 mL	122,50
51344764	perfectION™ Nitrate Interference Suppressor Solution 475 mL	122,50
51344765	perfectION™ Total Ionic Strength Adjustment Buffer II with CDTA 3790 mL	191,50
51344766	perfectION™ Total Ionic Strength Adjustment Buffer III concentrate with CDTA 475 mL	208,00
51344770	Silver ISE standard solution, 1000 mg/L 500 mL	142,50
51344771	Calcium ISE standard solution, 1000 mg/L 500 mL	111,00
51344772	Chloride ISE standard solution, 1000 mg/L 500 mL	111,00
51344773	Cyanide ISE standard solution, 1000 mg/L 500 mL	142,50
51344774	Copper ISE standard solution, 1000 mg/L 500 mL	142,50
51344775	Fluoride ISE standard solution, 1000 mg/L 500 mL	110,00
51344776	Iodide ISE standard solution, 1000 mg/L 500 mL	111,00
51344777	Potassium ISE standard solution, 1000 mg/L 500 mL	111,00
51344778	Sodium ISE standard solution, 1000 mg/L 500 mL	110,00
51344779	Nitrate ISE standard solution, 1000 mg/L 500 mL	111,00
51344780	Lead ISE standard solution, 1000 mg/L 500 mL	142,50
51344781	Sulphide ISE standard solution, 1000 mg/L 500 mL	111,00

DO Sensors

Origin of Precision

IP67 - For a water-proof measurement

Ensures your entire portable measuring system (Seven2Go meter and InLab sensor) is able to withstand wet and demanding environments.

Always the right temperature

The integrated temperature probe guarantees you always measure with the right temperature compensation.

www.electrodes.net/en/dealer



InLab® DO Sensors

Item No	Description	Product Remarks	Price €
51344621	InLab® OptiOx	Optical DO sensor for general applications, 0,0...500% / 0 ... 50 mg/L, 0...50°C, integrated NTC 30 kΩ temperature probe, ISM, IP67, PC/ABS shaft, dimensions: 16x65 mm, 1.8 m cable, Mini-LTW	1420,00
51344622	InLab® OptiOx-5m	Optical DO sensor for general applications, 0,0...500% / 0 ... 50 mg/L, 0...50°C, integrated NTC 30 kΩ temperature probe, ISM, IP67, PC/ABS shaft, dimensions: 16x65 mm, 5 m cable, Mini-LTW	1515,00
51344623	InLab® OptiOx-10m	Optical DO sensor for general applications, 0,0...500% / 0 ... 50 mg/L, 0...50°C, integrated NTC 30 kΩ temperature probe, ISM, IP67, PC/ABS shaft, dimensions: 16x65 mm, 10 m cable, Mini-LTW	1565,00
51340291	InLab® 605	0,0...200%, 0...60°C, IP67, 1.8 m cable, integrated temperature probe, body made of glass fiber reinforced PPS, silicone/Teflon membrane, interchangeable membrane bodies	910,00
51340292	InLab® 605-10m	0,0...200%, 0...60°C, IP67, 2m cable, integrated temperature probe, body made of glass fiber reinforced PPS, silicone/Teflon membrane, interchangeable membrane bodies	1040,00
51344611	InLab® 605-ISM-2m	Polarographic DO sensor for general applications in harsh environments, 0,0...200% / 0 ... 20 mg/L, 0...60°C, integrated NTC 22 kΩ temperature probe, ISM, IP67, PPS shaft, dimensions: 12x120 mm, 1.8 m cable, BNC/RCA (Cinch)	1015,00
51344612	InLab® 605-ISM-5m	Polarographic DO sensor for general applications in harsh environments, 0,0...200% / 0 ... 20 mg/L, 0...60°C, integrated NTC 22 kΩ temperature probe, ISM, IP67, PPS shaft, dimensions: 12x120 mm, 5 m cable, BNC/RCA (Cinch)	1050,00
51344613	InLab® 605-ISM-10m	Polarographic DO sensor for general applications in harsh environments, 0,0...200% / 0 ... 20 mg/L, 0...60°C, integrated NTC 22 kΩ temperature probe, ISM, IP67, PPS shaft, dimensions: 12x120 mm, 10 m cable, BNC/RCA (Cinch)	1085,00

LE DO Sensors

Item No	Description	Product Remarks	Price €
51340403	LE621	Galvanic DO sensor with 1.1 m cable and integrated temperature probe	407,00
30266975	LE621 IP67	Galvanic DO sensor with 2 m cable, IP67 and integrated temperature probe	441,00

Temperature Probes

Always the right temperature
The integrated temperature probe guarantees you always measure with the right temperature compensation.



Temperature Probes

Item No	Description	Price €
51300164	Separate temperature probes for general application, 0...130°C, integrated NTC 30 kΩ temperature probe, stainless steel shaft, dimensions: 3x120 mm, 1.2 m cable, RCA (Cinch)	109,50
51300165	Separate temperature probes for general application, 0...130°C, integrated Pt1000 temperature probe, stainless steel shaft, dimensions: 3x120 mm, 1.2 m cable, 2x4 mm banana	277,00
51343310	Separate temperature probes for general application, 0...130°C, integrated NTC 30 kΩ temperature probe, glass shaft, dimensions: 12x120 mm, S7 connector	322,00
51343312	Separate temperature probes for general application, 0...130°C, integrated Pt1000 temperature probe, glass shaft, dimensions: 12x120 mm, S7 connector	322,00

Sensor Accessories

Ions in motion

METTLER TOLEDO provides a complete offering of electrode accessories including wetting caps, adapters, flow through cells and electrode fill port closures.



Sensor Accessories

Item No	Description	Price €
51340021	Wetting caps 8 mm	10,90
51340024	Adapter NS 14/15 12 mm	17,70
51343320	Electrode storage vial	10,90
59904354	Flow through cell thermostatable	580,00
51302257	Glass flow-through cell	283,00
51300140	DO zero oxygen tablets	46,70
51344630	OptiOx replacement Cap	231,00
51344631	OptiOx calibration Tube	240,00
51344632	OptiOx protective Guard	442,00
51344633	OptiOx BOD Adapter	128,50
30246619	OptiOx Adapter for uPlace	45,40
51340295	Sealing Kit InLab® 605	18,80
30247853	Knick adapter	23,80
30243851	Wetting cap InLab® 12 mm	7,45
30248827	SafeLock blue (5 pcs.)	18,80
30248829	SafeLock white (5 pcs.)	18,80
51340267	Replacement Junction Tool for InLab® Versatile Pro	65,30
51340268	Set of Replaceable Junctions (Set of 10 ceramic junctions)	49,30

Buffers and Solutions

Top sellers for the most common use

All METTLER TOLEDO calibration and cleaning solutions are available in handy bottles with no-fuss labels. Electrolytes come with special caps that make refilling your electrode easy.



Buffer Solutions

Item No	Description	Price €
51350002	Technical buffer pH 2.00, 250 mL	21,80
51350016	Technical buffer pH 2.00, 6x250 mL	80,00
51350004	Technical buffer pH 4.01, 250 mL	21,80
51350018	Technical buffer pH 4.01, 6x250 mL	79,50
51302069	Technical buffer pH 4.01, sachets 30x20 mL	59,80
30464188	Technical Buffer pH 5.00, 250 mL	21,80
51350006	Technical buffer pH 7.00, 250 mL	21,80
51350020	Technical buffer pH 7.00, 6x250 mL	79,50
51302047	Technical buffer pH 7.00 sachets 30x20 mL	59,80
30464189	Technical Buffer pH 8.00, 250 mL	21,80
51350008	Technical buffer pH 9.21, 250 mL	21,80
51350022	Technical buffer pH 9.21, 6x250 mL	79,50
51302070	Technical buffer pH 9.21, sachets 30x20 mL	59,80
51350010	Technical buffer pH 10.00, 250 mL	21,80
51350024	Technical buffer pH 10.00, 6x250 mL	79,50
51302079	Technical buffer pH 10.01, sachets 30x20 mL	59,80
51350012	Technical buffer pH 11.00, 250 mL	21,80
51350026	Technical buffer pH 11.00, 6x250 mL	79,60
51302068	Rainbow I (3x10 sachets 20 mL) pH 4.01; pH 7.00; pH 9.21	59,80
51302080	Rainbow II (3x10 sachets 20 mL) pH 4.01; pH 7.00; pH 10.01	59,90
30095312	Bottle Rainbow Kit 1 (4.01 / 7.00 / 9.21), 6x250 mL, 2 bottles for each pH value	90,80
30095313	Bottle Rainbow Kit 2 (4.01 / 7.00 / 10.00), 6x250 mL, 2 bottles for each pH value	90,80
30095314	All-in-One Kit 1, 6x250 mL (pH 4.01 / 7.00 / 9.21 / 3 M KCl / Pepsin-HCl / Storage sol.)	99,20
30095315	All-in-One Kit 2, 6x250 mL (pH 4.01 / 7.00 / 10.00 / 3 M KCl / Pepsin-HCl / Storage sol.)	99,20
30458274	NIST/ DIN Buffer pH 1.679, 250 mL	28,00
51350052	NIST/DIN buffer pH 4.006, 250 mL	26,40
51350054	NIST/DIN buffer pH 6.865, 250 mL	26,40
51350056	NIST/DIN buffer pH 9.180, 250 mL	26,40
51350058	NIST/DIN buffer pH 10.012, 250 mL	28,00
30464127	NIST/ DIN Buffer pH 12.454, 250 mL	28,00
51350032	Certified buffer pH 4.01, 250 mL	23,80
51350042	Certified buffer pH 4.01, 6x250 mL	87,90
51350034	Certified buffer pH 7.00, 250 mL	23,80
51350044	Certified buffer pH 7.00, 6x250 mL	87,90
51350036	Certified buffer pH 9.21, 250 mL	23,80
51350046	Certified buffer pH 9.21, 6x250 mL	87,90
51350038	Certified buffer pH 10.00, 250 mL	23,80

Item No	Description	Price €
51350048	Certified buffer pH 10.00, 6x250 mL	87,90
51350060	Redox buffer 220 mV/pH 7.00, 250 mL	35,30
51350062	Redox buffer 220 mV/pH 7.00, 6x250 mL	154,00
51350064	Redox buffer 468 mV/pH 0.1, 6x30 mL	33,00
30111134	Techn. Buffer pH 2.00, sachets 30x20 mL	69,80
30111135	Techn. Buffer pH 11.00, sachets 30x20 mL	69,80
30667828	NIST/DIN Buffer pH 1.679 sachets 30x20 mL	117,50
30111136	NIST/DIN Buffer pH 4.006, sachets 30x20 mL	117,50
30111137	NIST/DIN Buffer pH 6.856 sachets 30x20 mL	117,50
30111138	NIST/DIN Buffer pH 9.180 sachets 30x20 mL	118,50
30111139	NIST/DIN Buffer pH 10.012 sachets 30x20 mL	113,50

Electrolytes

Item No	Description	Price €
51350078	Electrolyte 1 mol/L KNO ₃ , 250 mL	28,40
51350108	ISA solution 0.9 mol/L Al ₂ (SO ₄) ₃ , 250 mL	87,90
51350106	ISA solution TISAB 3, 250 mL	167,00
51350082	Electrol. 3 mol/L KCl Sat AgCl, 6x250 mL	89,50
51350086	Electrolyte 1 mol/L KNO ₃ , 6x250 mL	104,50
51350074	Electrolyte 3 mol/L KCl Sat AgCl, 250 mL	23,80
51350072	Electrolyte 3 mol/L KCl, 250 mL	23,80
51350080	Electrolyte 3 mol/L KCl, 6x250 mL	87,90
51350076	Electrolyte FRISCOLYT-B, 250 mL	23,80
51350084	Electrolyte FRISCOLYT-B, 6x250 mL	91,20
51343181	1 mol/L KCl, 25 mL	10,70
51343180	3 mol/L KCl, 25 mL	8,00
51343182	1 mol/L KNO ₃ , 25 mL	10,70
51343184	KCl-Solution 3 mol/L, AgCl saturated, 25 mL	10,70
51350088	LiCl 1M/EtOH Electrolyte 6x30 mL	142,00
51343185	Friscolyt-B, 25 mL	10,70

Conductivity Standards

Item No	Description	Price €
30090847	Check solution 1.3 µS/cm (single-use), 250 mL	188,50
30094617	Cond standard 5 µS/cm, 250 mL	145,50
51300169	Cond standard 10 µS/cm, 250 mL	98,90
51302153	Cond standard 84 µS/cm, 250 mL	44,00
51300170	Cond standard 500 µS/cm, 250 mL	39,20
51350092	Cond standard 1413 µS, 250 mL	27,20
51350096	Cond standard 1413 µS, 6x250 mL	103,50
51302049	Cond standard 1413 µS, sachets 30x20 mL	61,50
51350094	Cond standard 12.88 mS, 250 mL	27,20
51350098	Cond standard 12.88 mS, 6x250 mL	103,50
51302050	Cond standard 12.88 mS/cm, sachets 30x20 mL	61,50

Ion Standards

Item No	Description	Price €
30090851	Ion standard F 100 mg/L, 500 mL	118,50
30090852	Ion standard F 10 mg/L, 500 mL	118,50
30090853	Ion standard Cl 100 mg/L, 500 mL	118,50
30090854	Ion standard Cl 10 mg/L, 500 mL	118,50
30090855	Ion standard Ca 100 mg/L, 500 mL	118,50
30090856	Ion standard Ca 10 mg/L, 500 mL	118,50
30090857	Ion standard Na 100 mg/L, 500 mL	118,50
30090858	Ion standard Na 10 mg/L, 500 mL	118,50
30090859	Ion standard NH ₄ 1000 mg/L, 500 mL	119,00
30090860	Ion standard NH ₄ 100 mg/L, 500 mL	118,50
30718583	Fluoride solution kit	442,00

Maintenance Solutions

Item No	Description	Price €
51350100	Cleaning solution Pepsin-HCl, 250 mL	26,60
30045061	Cleaning Solution Pepsin-HCl, 6x250 mL	118,00
51350102	Cleaning solution Thiourea, 250 mL	26,60
30045062	Cleaning Solution Thiourea, 6x250 mL	114,50
51350104	Regeneration solution, 25 mL	23,40
30111142	InLab® Storage Solution, 250 mL	27,20

Printers

Thermal printer

- The all in one Printer
- Noiseless speed
- Durable printouts



Item No	Model	Product Remarks	Price €
30094673	P-56RUE	Thermal Printer with Date/Time, RS232, USB and Ethernet connection	1175,00
30094674	P-58RUE	Thermal Printer with Date/Time, Statistics, Totaling, Formulation and Labeling RS232, USB and Ethernet connection	1525,00

Accessories

Item No	Description	Price €
30094723	Thermal paper roll; 58 mm x Ø 50 mm; 10 pcs	69,50
30094724	Self-adhesive paper roll; 58 mm x Ø 50 mm; 10 pcs	115,00
30094725	Self-adhesive labels; 56 mm x 18 mm; 6 pcs	181,50
12130716	USB Cable 1 m	87,30

Dot matrix printer

- Print in Your Language
- Fast and Reliably
- Auto Settings Detection



Item No	Model	Product Remarks	Price €
30702967	RS-P25/01	Dot matrix printer with RS232C connection to instrument	785,00
30702998	USB-P25/01	Dot matrix printer with USB connection to instrument	890,00
11124303	RS-P26/01	Dot matrix printer with RS232C connection to instrument (with date and time)	1010,00
11124304	RS-P28/01	Dot matrix printer with RS232C connection to instrument (with date, time and applications)	1220,00

The Bluetooth printer (30330864) for Densito and DensitoPro can be found in the Densito section (page 42)

Accessories

Item No	Description	Price €
72456	Paper roll (5 units)	17,50
11600388	Paper roll, self-adhesive, minimum order quantity 3	21,80
65975	Ribbon cartridge black	34,10
12120735	Paper rotary axis	22,90
12120734	Paper cover	57,60
12130716	USB Cable 1 m	87,30

Cables

Connect our sensors to almost any meter

METTLER TOLEDO provides a complete range of electrode cables to interface our sensors to almost any meter.



Item No	Description	Price €
30281896	InLab® cable MultiPin-BNC/RCA 1.2 m	118,50
30281897	InLab® cable MultiPin-BNC/RCA 3 m	149,00
30281898	InLab® cable MultiPin-BNC/RCA 5 m	180,50
30281899	InLab® cable MultiPin-BNC/4mm 1.2 m	118,50
30281910	InLab® cable MultiPin-DIN/RCA 1.2 m	117,50
30281911	InLab® cable MultiPin-DIN/4mm 1.2 m	118,50
30281913	InLab® cable MultiPin-BNC/RCA 1.8 m IP67	135,50
30281915	InLab® cable S7-BNC 1.2 m	55,00
30281916	InLab® cable S7-BNC 3 m	81,70
30281917	InLab® cable S7-BNC 5 m	102,00
30281918	InLab® cable S7-BNC IP67 1.2 m	60,80
30281919	InLab® cable S7-DIN 1.2 m	61,40
30281920	InLab® cable S7-DIN 3 m	91,70
30281921	InLab® cable S7-DIN 5 m	120,50
30281922	InLab® cable S7-4mm 1.2 m	60,80
30281923	InLab® cable S7-2mm 1.2 m	60,80
30281924	InLab® cable S7-RCA 1.2 m	59,40
30281925	InLab® cable S7-Lemo 00 1.2 m	148,00
30281926	InLab® cable S7-no connector 3 m	72,30
30281927	InLab® cable S7-no connector 5 m	102,00
30281928	InLab® cable S7-no connector 10 m	144,50
30403890	DIN Adapter LE	27,30
30499900	DIN Adapter T-Kit LE	40,10

Density and Refractometers

Densito

Handheld Density Meter, Densito

Analyse on the go

With an ergonomic design and light weight, the instrument fits nicely into your hand.

Easy sampling

Measure comfortably using the joystick to control the automatic sampling pump, and avoid the added strain of manual sampling.

Result limits

Set up a range of acceptable limits for your products: results outside this range are colour-coded for instant identification.



Item No	Model	Description	Product Remarks	Price €
30330857	Densito	Portable Density Meter	meter, filling tube 190 mm (tube, connector syringe/ filling tube, washer), battery Li-Ion 2400mAh, power supply and worldwide adapters, USB-C cable, density standards 6 mL (3 pcs), user manual, declaration of conformity and test report	2910,00
30330858	DensitoPro	Portable Density Meter with an RFID and barcode reader	As Densito, but also with Tag SmartSample (10 pcs)	3255,00

Accessories for Densito & Densito Pro

Item No	Description	Price €
51325005	Density Standards (6 mL), 10 pcs	79,10
30451628	EasyDirect Density and Refractometry	660,00
30330860	Protective Cover	128,50
51338010	Water density / refractive index combined standard (9 mL)	165,00
51338012	Dodecane density / refractive index combined standard (9 mL)	230,00
51338013	2,4-dichlorotoluene density / refractive index combined standard (9 mL)	230,00
51338014	1-bromonaphthalene density / refractive index combined standard (9 mL)	230,00
30449268	Tag SmartSample, 10 pcs	40,50
30449269	Tag SmartSample Film for Tanks, 10 pcs	50,20
30330861	Carrying Case	154,00
30330864	Bluetooth Printer Godex with Dongle	635,00
30330863	Bluetooth Dongle	152,50
30330865	Bluetooth Printer Paper, 5 rolls	13,30
30702998	USB-P25 Printer	890,00
51191926	USB Cable (1,8 m A-B) replacement cable to connect Density2Go to printer	26,00
30330847	Filling Tube, 190 mm	38,00
30330848	Filling Tube 600 mm	55,70
51338100	Syringes, 10 mL, 100 pcs	136,00
51325003	Cleaning tissues, set of 10	33,40

Item No	Description	Price €
30330849	Piston Pump and Glass Cylinder	107,50
30330851	Pump Cap	57,60
30330852	Locking Screw	25,60
30330853	Connector Syringe/Filling Tube	28,00
30330854	Battery Cap	51,50
30330855	Battery Lilon 2400mAh	81,60
30449253	USB-C Cable replacement cable to recharge Density2Go and to connect it to the PC	27,50
30449255	Power Supply and worldwide adapters	47,20
30330842	Charging Stand, Densito	453,00

MyBrix

Instant and Affordable Sugar Analysis

Measurements within seconds

The MyBrix measures refractive index and sugar content instantly and precisely: Results are received within just two seconds in the desired scale.

Sugar determination anywhere

With its compact, robust and weatherproof design, measurements can be performed virtually anywhere – in the field, near the production line or in a quality control lab.

Brix and more

Results are automatically temperature compensated and converted into up to 3 of the 10 integrated sugar-related scales, including Brix, Oechsle, Baumé and many more.



Item No	Model	Description	Product Remarks	Price €
30693200	MyBrix	Handheld Refractometer MyBrix	MyBrix Digital Handeld Refractometer, 2x AAA alkaline battery (LR03) and User Manual	374,00
30693201	MyBrix	Handheld Refractometer MyBrix pack of 10	MyBrix Digital Handeld Refractometer (10 pcs), 2x AAA alkaline battery (LR03) (10 pcs), User Manual (10 pcs)	3555,00

Accessories

Item No	Description	Price €
30693202	Packaging Box MyBrix	22,50
30693215	Soft Case MyBrix	33,10

Refracto

Compact Portable Refractometers

Quick and Error Free

Place a few drops of sample on the cell, push the button, and read the final result with the temperature directly in the required measurement units!

An Instrument on the Go

Take measurements easily anywhere you go with our practical carrying cases.

Compliant Data Management

Store and keep track of up to 1100 results on your instrument, and print or transfer them to your PC.




Item No	Model	Description	Product Remarks	Price €
51324650	REFRACTO 30PX	Refractometer 30PX	Portable Refractometer / 3.5 place precision, measuring range 1.32 ... 1.50 nD / With a big selection of result units (Brix etc.) / complete with carry case and accessories	2725,00
51324660	REFRACTO 30GS	Refractometer 30GS	Portable High-End Refractometer / 3.5 place precision, measuring range 1.32 ... 1.65 nD / With a big selection of result units (Brix etc.) / complete with carry case and accessories	3570,00


Accessories


Item No	Description	Price €
51324701	Memo papers, set of 10	49,20
51324708	Battery case cover with seal	72,90
51325000	Carry case Density/Refracto	304,00
51325003	Cleaning tissues, set of 10	33,40
51325006	Infrared-Adapter (RS 9 pin, male)	590,00
51324403	Sampling tube (with washer)	44,40
30451628	EasyDirect Density and Refractometry	660,00
11124303	Printer RS-P26	1010,00


Literature


Product Brochures


Front Page	Description
	Brochure SevenExcellence™ Format: A4 Pages: 20
Order Number	
Deutsch	30046380C
English	30046381C
Français	30046382C
Español	30046383C
Italiano	30046384C


Front Page	Description
	Brochure The Right SevenExcellence Format: A4 Pages: 8
Order Number	
Deutsch	30289610
English	30289599
Français	30289611
Español	30289612
Polski	30398733


Front Page	Description
	Brochure SevenCompact™ - Benchtop Format: A4 Pages: 20
Order Number	
Deutsch	30247898
English	30247897
Français	30248017
Español	30248010
Italiano	30248011
Polski	30380104


Front Page	Description
	Brochure SevenGo Duo™ Format: A4 Pages: 16
Order Number	
Deutsch	30208951
English	30208950
Français	30208952
Español	30208953
Italiano	30208954
Polski	30208960


Front Page	Description
	Brochure Seven2Go™ Format: A4 Pages: 12
Order Number	
Deutsch	30212802
English	30212801
Français	30212803
Español	30212805
Italiano	30212804
Turkish	30212810


Front Page	Description
	Brochure FiveGo™ Portable Instruments Format: A4 Pages: 8
Order Number	
Deutsch	30279311B
English	30279310B
Français	30279312B
Español	30279313B
Italiano	30279314B
Polski	30374249B
Turkish	30498286


Front Page	Description
	Brochure FiveEasy™ Bench Instruments Format: A4 Pages: 8
Order Number	
Deutsch	30279226A
English	30279225A
Français	30279227A
Español	30279228A
Italiano	30279229A
Polski	30374248A
Turkish	30498279

Front Page	Description
	Brochure Densito Format: A4 Pages: 8
Order Number	
Deutsch	30456195
English	30456194
Français	30456196
Español	30456230
Italiano	30456231
Polski	30473776


Front Page	Description
	Brochure Refracto Format: 10 x 21 cm Pages: 8
Order Number	
Deutsch	51724226
English	51724227
Français	51724228


Front Page	Description
	Brochure UPDATED Laboratory Solutions Format: A4 Pages: 12
Order Number	
Deutsch	30593916
English	30593915
Français	30593917
Español	30593938
Italiano	30593939


Front Page	Description
	Brochure Solutions for Life Science Format: A4 Pages: 20
Order Number	
Deutsch	51725344
English	51725345
Français	51725346
Español	51725347
Italiano	51725348


Front Page	Description
	Brochure InLab® Sensors Format: A4 Pages: 36
Order Number	
Deutsch	30264254
English	30264253
Français	30264270
Español	30264271
Italiano	30264272
Polski	30315959


Datasheets


Front Page	Description
	Datasheet SevenExcellence™ pH/Ion S500 & S475 Format: A4 Pages: 4
Order Number	
Deutsch	30047045
English	30047046
Français	30047047
Español	30047048
Italiano	30047049


Front Page	Description
	Datasheet SevenExcellence™ pH/mV S400 Format: A4 Pages: 4
Order Number	
Deutsch	30046386
English	30046387
Français	30046388
Español	30046389
Italiano	30046390


Front Page	Description
	Datasheet SevenExcellence™ Conductivity S700 & S470 Format: A4 Pages: 4
Order Number	
Deutsch	30046392
English	30046393
Français	30046394
Español	30046395
Italiano	30046396


Front Page	Description
	Datasheet SevenExcellence™ DO/BOD S600 & S900 Format: A4 Pages: 4
Order Number	
English	30095463


Front Page	Description
	Datasheet uMix magnetic stirrer Format: A4 Pages: 2
Order Number	
English	30062412


Front Page	Description
	Datasheet SevenExcellence One Click™ Methods Format: A4 Pages: 2
Order Number	
Deutsch	30065314
English	30065315
Français	30065316
Español	30065317
Italiano	30065318


Front Page	Description
	Datasheet SevenCompact™ S210 Format: A4 Pages: 4
Order Number	
Deutsch	30019067
English	30019066
Français	30019068
Español	30019069
Italiano	30019070


Front Page	Description
	Datasheet SevenCompact™ S220 Format: A4 Pages: 4
Order Number	
Deutsch	30019067
English	30019066
Français	30019068
Español	30019069
Italiano	30019070


Front Page	Description
	Datasheet SevenCompact™ S230 Format: A4 Pages: 4
Order Number	
Deutsch	30019062
English	30019061
Français	30019063
Español	30019064
Italiano	30019065


Front Page	Description
	Datasheet SevenCompact™ Duo 213 Format: A4 Pages: 4
Order Number	
Deutsch	30380099
English	30351097
Français	30380140
Español	30380141
Italiano	30380142
Polski	30380143


Front Page	Description
	Datasheet Seven2Go™ pH Format: A4 Pages: 4
Order Number	
English	30208962
Deutsch	30208963
Français	30208964
Español	30208965
Italiano	30208966
Polski	30208972


Front Page	Description
	Datasheet Seven2Go™ Cond Format: A4 Pages: 4
Order Number	
English	30208974
Deutsch	30208975
Français	30208976
Español	30208977
Italiano	30208978
Polski	30208984


Front Page	Description
 <p>Seven2Go™ DO Everywhere You Measure</p>	<p>Datasheet</p> <p>Seven2Go™ DO</p> <p>Format: A4</p> <p>Pages: 4</p>
Order Number	
English	30208986
Deutsch	30208987
Français	30208988
Español	30208989
Italiano	30208990
Polski	30208996


Front Page	Description
 <p>Data Handling Made Direct and Easy With EasyDirect™ pH Software</p>	<p>Datasheet</p> <p>EasyDirect™ pH Software</p> <p>Format: A4</p> <p>Pages: 2</p>
Order Number	
Deutsch	30380118
English	30353939
Français	30380119
Español	30380160
Italiano	30380121
Polski	30380122


Front Page	Description
 <p>Portable Density in Your Hands Light, Intuitive, and Rugged</p>	<p>Datasheet</p> <p>Densito</p> <p>Format: A4</p> <p>Pages: 2</p>
Order Number	
Deutsch	30456236
English	30456235
Français	30456237
Español	30456241
Italiano	30456242
Polski	30473860

Front Page	Description
 <p>Simplify Your Lab Quality Measurement for the Budget-Minded</p>	<p>Datasheet</p> <p>FiveEasy Plus™</p> <p>Format: A4</p> <p>Pages: 2</p>
Order Number	
English	30470648
Deutsch	30524967
Français	30525129
Español	30525128
Italiano	30525130
Polski	30525131


Front Page	Description
 <p>Measure Wherever You Are Quality Measurement for the Budget-Minded</p>	<p>Datasheet</p> <p>FiveGo™</p> <p>Format: A4</p> <p>Pages: 2</p>
Order Number	
English	30470649
Deutsch	30525132
Français	30525134
Español	30525133
Italiano	30525135
Polski	30525136


Front Page	Description
 <p>LightEditor Sensors Affordable and Reliable</p>	<p>Datasheet</p> <p>LE Selection</p> <p>Format: A4</p> <p>Pages: 4</p>
Order Number	
English	30470650
Deutsch	30476851
Français	30476852
Español	30476854
Italiano	30476853
Polski	30476856
Turkish	30476892


Front Page	Description
 <p>Simplify Your Lab Quality Measurement for the Budget</p>	<p>Datasheet</p> <p>FiveEasy</p> <p>Format: A4</p> <p>Pages: 2</p>
Order Number	
English	30514935
Deutsch	30524962
Français	30524964
Español	30524963
Italiano	30524965
Polski	30524966


Front Page	Description
 <p>For Samples Containing Solvents and Proteins</p>	<p>Datasheet</p> <p>Sensor 2-pagers</p> <p>Format: A4</p> <p>Pages: 2</p>
Order Number	
InLab Power Pro ISM English	30619654
InLab Routine Pro ISM English	20619655
InLab Science Pro ISM English	30619656
InLab Solid Pro ISM English	30619657
InLab OptiOx English	30619682


Flyers

Front Page	Description
	<p>Flyer</p> <p>pH in Fruit and Vegetable</p> <p>Format: 10 x 21 cm</p> <p>Pages: 6</p>
Order Number	
Deutsch	30045011
English	30045012
Français	30045013
Español	30045014
Italiano	30045015


Front Page	Description
	<p>Flyer</p> <p>pH in Milk and Dairy</p> <p>Format: 10 x 21 cm</p> <p>Pages: 6</p>
Order Number	
Deutsch	51725217
English	51725218
Français	51725219
Español	51725220
Italiano	51725221


Front Page	Description
	<p>Flyer</p> <p>pH in Meat and Poultry</p> <p>Format: 10 x 21 cm</p> <p>Pages: 6</p>
Order Number	
Deutsch	51725222
English	51725223
Français	51725224
Español	51725225
Italiano	51725226


Front Page	Description
	<p>Flyer</p> <p>pH in Food and Beverage</p> <p>Format: 10 x 21 cm</p> <p>Pages: 8</p>
Order Number	
Deutsch	30407671
English	30407670
Français	30407672
Español	30407674
Italiano	30407673
Polski	30407675
Türkçe	30412633

Front Page	Description
	<p>Flyer</p> <p>Electrochemistry Portfolio</p> <p>Format: 10 x 21 cm</p> <p>Pages: 6</p>
Order Number	
Deutsch	30111451E
English	30111452E
Français	30111453E
Español	30111455E
Italiano	30111454E
Polski	30111456E
Türkçe	30111457E


Posters


Front Page	Description
	<p>Poster</p> <p>Your pH Calibration</p> <p>Format: A3</p> <p>Pages: 1</p>
Order Number	
Deutsch	30131317
English	30131316
Français	30131318
Español	30131319
Italiano	30131330

Front Page	Description
	<p>Poster</p> <p>Tips & Tricks in Life Sciences</p> <p>Format: A4</p> <p>Pages: 1</p>
Order Number	
English	51725349


Front Page	Description
	<p>Poster</p> <p>Art of pH measurement</p> <p>Format: 59,4 x 42 cm</p> <p>Pages: 1</p>
Order Number	
English	30066811B

Posters


Front Page	Description
	Poster A Selection of Applications Format: 29,7 x 100 cm Pages: 1
Order Number	
English	30066733B


Front Page	Description
	Poster Five Series Meters Format: A0 Pages: 1
Order Number	
English	30304665A


Front Page	Description
	Poster SevenCompact™ Duo Format: Pages: 1
Order Number	
English	


Front Page	Description
	Poster LE Sensors Format: Pages: 1
Order Number	
English	30470651


Application Notes and Guides


Front Page	Description
	Guide pH Theory Guide Format: A5 Pages: 60
Order Number	
Deutsch	51300058B
English	51300047B
Français	51300185B
Polski	304448522
Español	30237094A
Türkçe	30454456B


Front Page	Description
	Guide Conductivity Guide Format: A5 Pages: 60
Order Number	
Deutsch	51724715A
English	51724716A
Français	51724717A
Polski	30448523
Español	30099124A
Italiano	30099125


Front Page	Description
	Guide ISE Theory Guide Format: A5 Pages: 36
Order Number	
English	30414765A
Italiano	30466410
Espanol	30414898


Front Page	Description
 <p>pH Measurement</p> <p>Guide</p> <p>pH Workflow Optimization</p> <p>Format: A4</p> <p>Pages: 20</p>	
Order Number	
Deutsch	
English	
Français	
Polski	
Español	
Italiano	


Front Page	Description
 <p>Get the Best Out of Fruits</p> <p>Calcium in Fruit Juice</p> <p>Application Note</p> <p>perfectION™ Ca2+</p> <p>Format: A4</p> <p>Pages: 2</p>	
Order Number	
English	51725260


Front Page	Description
 <p>Water in Life</p> <p>Low Level Fluoride in Pure Water</p> <p>Application Note</p> <p>perfectION™ F-</p> <p>Format: A4</p> <p>Pages: 2</p>	
Order Number	
English	51725265


Front Page	Description
 <p>Water - A Shared Responsibility</p> <p>Nitrate in Waste Water</p> <p>Application Note</p> <p>perfectION™ NO3-</p> <p>Format: A4</p> <p>Pages: 2</p>	
Order Number	
English	51725270


Front Page	Description
 <p>How to Measure pH</p> <p>In Protein-Containing Samples</p> <p>Application Note</p> <p>Protein Samples</p> <p>Format: A5</p> <p>Pages: 2</p>	
Order Number	
English	30398730


Front Page	Description
 <p>pH Measurement of Yogurt</p> <p>InLab Solids Pro-ISM Sensor</p> <p>Food and Beverage Application Notes</p> <p>Food and Beverage</p> <p>Format: A4</p> <p>Pages: 4</p>	
Order Number	
pH Measurement of Yogurt English	30553146
pH Measurement of Cheese English	30553147
pH Measurement of Canned Foods English	30553178
pH Measurement of Meat English	30553179
pH Measurement of Jam and Jelly English	30553180
pH Measurement of Fruits and Vegetables English	30553181
pH Measurement of Seafood Processing English	30553182
pH Measurement of Sushi Rice English	30553183
pH Measurement of Wine English	30553184
pH Measurement of Fruit Juice English	30553185
pH Measurement of Sauce English	30553186
pH Measurement of Brine English	30553190
pH Measurement of Beer English	30553188
pH Measurement of Cream English	30553192
pH Measurement of Milk English	30553191
pH Measurement of Rice English	30538366

Front Page	Description
 <p>How to Measure pH</p> <p>In Small Samples</p> <p>Application Note</p> <p>Small Samples</p> <p>Format: A5</p> <p>Pages: 2</p>	
Order Number	
English	30398728


Front Page	Description
 <p>ISE Theory Guide</p> <p>A Guide for Ion-selective Electrodes</p> <p>Theory and Practice of ISE Applications</p> <p>pH Essentials Guide</p> <p>Format: A5</p> <p>Pages: 18</p>	
Order Number	
Deutsch	30490691
English	30482180
Français	30490693
Polski	30490695
Espanol	30490692
Italiano	30490694

Front Page	Description
 <p>Get the Best Out of Fruits</p> <p>Calcium in Fruit Juice</p> <p>Application Note</p> <p>TRIS Samples</p> <p>Format: A4</p> <p>Pages: 2</p>	
Order Number	
English	30398729

Front Page	Description
<p>Application Note</p> <p>pH Measurements of Agar Plates With InLab® Surface Pro-ISM Sensor</p>  <p>Order Number</p> <p>English</p>	<p>Application Note pH Measurement of Agar Plates</p> <p>Format: A4</p> <p>Pages: 4</p>

Front Page	Description
<p>Application Note</p> <p>pH Measurement of Hand Sanitizer Using InLab® Max Pro-ISM Sensor</p>  <p>Order Number</p> <p>English</p>	<p>Application Note pH Measurement of Hand Sanitizer using InLab Max Pro-ISM sensor</p> <p>NEW</p> <p>Format: A4</p> <p>Pages: 4</p>

White Paper

Front Page	Description
<p>White Paper</p> <p>pH of Non-Aqueous Samples Measurement in Organic Solvents</p>  <p>Order Number</p> <p>Deutsch</p> <p>English</p> <p>Français</p> <p>Español</p> <p>Italiano</p>	<p>White Paper pH of Non-Aqueous Samples</p> <p>Format: A4</p> <p>Pages: 12</p>

Ordering

Online Ordering via our Partner Portal in our Dealer Zone

Our user-friendly Partner Portal makes the ordering and tracking as simple and convenient as possible. The shop can be accessed via <https://mton.store.mt.com/> and entering the login and password that your Dealer Manager will provide:

- Your password will give you your own unique view of the Dealer Zone and will ensure that the correct discounts and addresses are applied to your order
- Orders are received directly into our warehouse and production site for speed and efficiency
- Once your order is placed you will receive an instant order acknowledgment and a confirmed delivery date within 24 hours enabling you to provide your customers with accurate information

Ordering via fax or e-mail to our Sales Support Team

- Once your order is placed you will receive a confirmed delivery date within 24 hours via e-mail

Order Tracking

Online order tracking

- If you place your order via our PartnerPortal you can also track it simply and effectively online and you can also view your previous orders

Order tracking via our Sales Support Team

- Our Sales Support Team can tell you the status of your order via phone, fax or e-mail

Terms & Conditions

Our general terms and conditions of sale can be found within our Partner Portal. Standard delivery is free for orders over 300€. Below 300€ a handling fee of 15€ will be charged.

Contact

Sales Support Centre

SSC phone: +41 22 567 53 16

SSC e-mail: ssc@mt.com

Technical Support Centre

TSC phone: +41 22 567 53 17

TSC e-mail: tsc@mt.com

pH Competence and Support Centre

for Laboratory Analytics (pH CSC)

pH CSC phone: +41 22 567 53 22

pH CSC e-mail: ph.lab.support@mt.com

www.mt.com/pHlabsupport

<https://mton.store.mt.com/>

To place your order

METTLER TOLEDO OnLine

Im Langacher 44

CH-8606 Greifensee

Prices and specifications are subject to
change without notice

© 01/2023

METTLER TOLEDO OnLine GmbH